

SOUTH CAROLINA DEPARTMENT OF **PUBLIC HEALTH**

Flu Watch

MMWR Week 33: August 11, 2024 to August 17, 2024

All data are provisional and subject to change as more reports are received.

Influenza Indicators





South Carolina reported local activity this week.

Virologic Surveillance

This week **39** lab-confirmed tests were reported. In the current flu season, there have been 77.017 lab-confirmed tests reported.


Influenza Indicator	Change from Previous Week
Lab-confirmed tests	No Change
ILI Percent	No Change
Hospitalizations	Decreased





Influenza-Associated Hospitalizations

This week 5 influenza-associated hospitalizations were reported by 42 hospitals. The cumulative hospitalization rate is 97.6 per 100,000. In the current flu season, there have been 4955 influenza-associated hospitalizations.



Influenza-Like Illness Surveillance

The percent of patient visits to sentinel providers for an influenza-like illness (ILI) was 1.9%, which is **below** South Carolina's baseline (3.2%). The ILI activity level overall was minimal.

Influenza-Associated Deaths


This week, 6 influenza-associated deaths were reported; however, the deaths occurred during previous weeks. The cumulative mortality rate is **3.6 per 100,000**. In the current flu season, there have been 181 influenza-associated deaths.

For a description of South Carolina's influenza surveillance components and definitions go to: https://dphstage.sc.gov/professionals/public-health-data/flu-watch

Virologic Surveillance

Week ending 8/17 Cumulative

■ A not subtyped ■ A(H1N1) ■ A (H3) ■ B (lineage not determined) ■ B (YAM) ■ B (VIC) ■ Co-infection



Laboratory-Confirmed Influenza Cases, 2021-22 Season to Present

■ A not subtyped ■ A(H1N1) ■ A (H3) ■ B (lineage not determined) ■ B (YAM) ■ B (VIC) ■ Co-infection

Lab-Confirmed Influenza Cases by Influenza Type to Date*									
	No. of Cases (%)								
Influenza Type	This Week			2021-22	5 season average				
Overall	39	77017	58217	17364	17464				
Influenza A	38(97.4)	46063(59.8)	54498(93.6)	16835(97.0)	16154(92.5)				
A(H3)	1(2.6)	353(0.8)	1020(1.9)	571(3.4)	446(2.8)				
A(H1N1)	2(5.3)	3422(7.4)	1891(3.5)	552(3.3)	806(5.0)				
A(NS)**	35(92.1)	42288(91.8)	51587(94.7)	15712(93.3)	14902(92.2)				
Influenza B	1(2.6)	30656(39.8)	3642(6.3)	508(2.9)	1285(7.4)				
B (Victoria)		114(0.4)			50(3.9)				
B(Yamagata)					1(0.1)				
B (LND)+	1(100.0)	30542(99.6)	3642(100.0)	508(100.0)	1234(96.0)				
Influenza Virus Coinfection [§]	-	298(0.4)	77(0.1)	21(0.1)	25(0.1)				

Confirmed Influenza Cases by Influenza Typ

*Data presented from previous influenza seasons represents the data from that season through the same week as the current season. Nationally, the influenza season begins with MMWR week 40 and ends with MMWR week 39. The 2023-24 influenza season began on October 1, 2023 and will end on September 28, 2024.

**NS – not subtyped +LND – lineage not determined

[§]Cases with more than one influenza A subtype in the same sample or with influenza A and B viral types in the same sample simultaneously.


Laboratory-Confirmed Influenza Cases, by Virus Type

Influenza-Like Illness (ILI) Surveillance


This week, the ILI activity level was **minimal** and **1.9%** of patient visits to SC ILINet providers were attributed to an influenza-like illness. This is **below** the state baseline of **3.2%**.

Reports were received from providers in **21** counties, representing all DPH Public Health regions.


ILI percentage is dependent upon the number of reporting providers and/or can vary by disease activity or the number of providers submitting reports.



Percentage of Influenza-like Illness (ILI) Visits Reported by Sentinel Providers for Past and Current Seasons



MMWR Week




ILI ACTIVITY LEVELS: MINIMAL LOW MODERATE HIGH

State ILI Activity Level by MMWR Week, 2017-18 Influenza Season to Present

Influenza-Associated Hospitalizations And Deaths

Influenza-Associated Hospitalizations by Age Group*								
	No. of Hospitalizations (Rate)							
Influenza Season	Overall	Ages 0-4	Ages 5-17	Ages 18-49	Ages 50-64	Ages 65+		
This Week	5(0.1)			1(0.0)	2(0.2)	2(0.2)		
2023-24	4955(97.6)	178(62.4)	216(26.2)	930(45.2)	1247(123.7)	2384(264.4)		
2022-23	3367(66.3)	87(30.5)	126(15.3)	601(29.2)	733(72.7)	1820(201.9)		
2021-22	684(13.5)	34(11.9)	29(3.5)	160(7.8)	145(14.4)	316(35.1)		
5 season average	1997(39.3)	82(28.7)	85(10.3)	373(18.1)	489(48.5)	968(107.4)		
Influenza-Associated Deaths by Age Group*								
	No. of Deaths (Rate)							
Influenza Season	Overall	Ages 0-4	Ages 5-17	Ages 18-49	Ages 50-64	Ages 65+		
This Week								
2023-24	181(3.6)		3(0.4)	20(1.0)	41(4.2)	117(12.9)		
2022-23	160(3.2)		6(0.7)	8(0.4)	36(3.6)	110(12.2)		
2021-22	35(0.7)		2(0.2)	1(0.0)	10(1.0)	22(2.4)		
5 season average	91(1.8)		2(0.2)	9(0.4)	22(2.2)	58(6.4)		

*Data presented from previous influenza seasons represents the data from that season through the same week as the current season. Nationally, the influenza season begins with MMWR week 40 and ends with MMWR week 39. The 2023-24 influenza season began on October 1, 2023 and will end on September 28, 2024.



100.0 90.0 80.0 70.0 Rati 60.0 lization Case 50.0 40.0 Hospital 30.0 20.0 10.0 0.0 2 MMWR Week ■ ■ 2017-18 ■ ■ 2018-19 ■ ■ 2019-20 ■ ■ 2020-21 ■ ■ 2021-22 ■ 2022-23 ■ 2023-2024

Cumulative Hospitalization Rate for Past and Current Seasons

Reported Influenza-Associated Hospitalizations, 2021-22 Season to Present

