

2010 South Carolina Injury County Profile

South Carolina Department of Health and Environmental Control



Table of Contents

DATA INFORMATION 1

SC TEN YEARS DEATH TREND & SC COUNTY MAP (5 YEARS AVERAGE DEATH RATE).....3

INJURY FAST FACTS 4

SOUTH CAROLINA INJURY DEATH..... 5

ALL COUNTIES DEATHS 6

SC NON-FATAL INJURY ALL AGES 8

SC NON-FATAL INJURY 0-17 YEARS, 65+ 9

ALL COUNTIES NON-FATAL INJURY 10

ABBEVILLE 12

AIKEN 13

ALLENDALE 14

ANDERSON 15

BAMBERG 16

BARNWELL..... 17

BEAUFORT 18

BERKELEY..... 19

CALHOUN..... 20

CHARLESTON 21

CHEROKEE 22

CHESTER 23

CHESTERFIELD 24

CLARENDON..... 25

COLLETON 26

DARLINGTON 27

DILLON 28

DORCHESTER 29

EDGEFIELD 30

FAIRFIELD 31

FLORENCE..... 32

GEORGETOWN..... 33

GREENVILLE 34

GREENWOOD	35
HAMPTON	36
HORRY	37
JASPER	38
KERSHAW	39
LANCASTER	40
LAURENS	41
LEE	42
LEXINGTON.....	43
MCCORMICK.....	44
MARION.....	45
MARLBORO	46
NEWBERRY	47
OCONEE.....	48
ORANGEBURG.....	49
PICKENS.....	50
RICHLAND	51
SALUDA.....	52
SPARTANBURG	53
SUMTER	54
UNION.....	55
WILLIAMSBURG	56
YORK.....	57

Data Information

Data Sources:

1. Death data: Office of Public Health Statistics and Information System (PHISIS) of South Carolina Department of Health and Environmental Control (DHEC)
2. Non-Fatal Injury Data: Include hospital discharge and Emergency department (ED) visits provided by Office of Research and Statistics (ORS) of SC Budget and Control Board. It is an aggregate data on a Web-site specific for Division of Injury & Violence Prevention

Data Information

1. Data are including South Carolina residents only.
2. Counties are the residence place and not the place of occurrence.
3. Information on children 0-17 years old, and people 65 and older are incorporated in the report.
4. Data are mutually exclusive: non-fatal (hospitalization and Emergency Department Visits) do not include deaths
5. **Small numbers: some tables contain small numbers therefore rates should be interpreted with caution.**
6. **Rates of small population counties should be interpreted with caution (e.g. McCormick, Allendale, Calhoun)**
7. **No rates were generated for numbers less than 5.**

Definitions of Causes of Injury

There are two dimensions of the external causes of injury: intent (manner), and the mechanism (cause) by which the injury occurred. Injuries are grouped according to the intent, which in turn divided into groups by causes.

I. Unintentional injuries:

1. ***Cut/Pierce***: injuries caused by, or falls on, cutting and piercing instruments or objects (powered or non powered hand tools and household appliances). This includes also injury by nails, needles, broken glasses, splinters, and tin can lids.
2. ***Drowning/near drowning*** in watercraft accidents, while swimming or just wading in water. It also includes drowning/submersion in bathtubs. **DEATH DATA DOESN'T INCLUDE WATERCRAFT ACCIDENTS (IN ORDER TO COMPARE WITH NATIONAL DEATH DATA)**
3. ***Falls***: include falls on same level (slipping, tripping), falls on different levels (stairs, bed, ladder).
4. ***Fire/flame***: include burning by fire; asphyxia or poisoning due to fire; secondary fires due to explosion; fall or jump from burning structure.
5. ***Firearms***: use of handguns, automatic weapons, hunting rifles, military firearms, and air guns.
6. ***Foreign body***: foreign body accidentally entering eye and adnexa, or entering other orifice.
7. ***Hot/object or substance***: the injury is caused by hot liquids and vapor (including steam); hot appliances or objects; caustic/corrosive material.
8. ***Machinery***: include agricultural, mining, lifting, metalworking, woodworking, and earth moving machines.
9. ***Motor vehicle crashes (MVC)***: include all motor vehicles, except motorcycles, which are involved in traffic crashes.

The injured person in this group is an occupant of a motor vehicle (driver or passenger), or an unspecified individual who is involved in traffic MVC.
10. ***Motorcyclists***: motorcycle involved in traffic or non-traffic crashes.

The injured person is a driver or passenger of a motorcycle.
11. ***Pedal cyclists***: pedal cycle involved in traffic or non-traffic motor vehicle crashes, struck by (train, other bicycle, other road vehicle, or animal drawn vehicle). This also involves falling from or turnover of the pedal cycle, or hitting a fixed or moveable object.

The injured person is any person riding on a pedal cycle or in a sidecar attached to such a vehicle.


12. **Pedestrians:** the person injured in this group is a pedestrian who is struck by a motor vehicle in traffic or non traffic crashes, or is struck by other road vehicles or trains.
13. **Other Transport:**
In Death data: include train railway accidents, non-traffic MVC (*is any motor vehicle accident occurring entirely in any place other than a public highway*), other road vehicle crashes, (3 wheeled vehicles, ATV, steer cars, animal drawn vehicles). It also involves water, air and space transport crashes.
In Non-Fatal data: include train railway accidents, non-traffic MVC (*is any motor vehicle accident occurring entirely in any place other than a public highway*), Animal-drawn vehicle accident, Water transport accidents not including those used in the course of recreational activities.
14. **Natural and environmental factors:** excessive heat or cold, change in air pressure, hunger, thirst, neglect, lightning, floods, tornados, and storms. It is due also to animal bites, poisoning and toxic reactions from venomous animals and plants.
15. **Overexertion:** include overexertion resulting from lifting, pulling, or pushing. It also includes excessive physical exercises, and strenuous movements in recreational and other activities.
16. **Accidental poisoning by drugs, medicinal substances and biologicals.**
 a. *Includes accidental overdose of drug, wrong drug given or taken in error, and drug taken inadvertently:* Analgesics, antipyretics, and anti-rheumatics; Barbiturates; Sedatives & hypnotics; Tranquilizers; Phychotropics agents, other drugs acting on the central & autonomic nervous system; Antibiotics; Anti-infectives
 b. *Accidental poisoning by other solid and liquid substances, gases and vapors:* alcohol (including alcoholic beverages); food; cleansing agents; agriculture's chemicals; corrosives, and gases.
17. **Struck By/Against Person or Object or Caught In between Object** or crushed by a crowd.
18. **Sports & Recreation (only in non-fatal data)** includes: **falls** in sports; **Struck by or against** in sports (Kicked or stepped on during game, Knocked down during boxing, hit by a ball or hockey stick or puck); **Pedal cycle** in sports (Motor vehicle traffic collision involving a pedal cyclist); water skiing; **Drowning in sports** (Accident to watercraft causing submersion not including water skiers); **Diving** (diving or jumping into water, striking bottom, wall or board of pool, effect of air pressure from diving); **Animal riding; Off-road vehicle** (non-traffic accident involving motor-driven snow vehicle or other off-road vehicle); **Other water-related sports** (Swimmer struck by or crushed between watercraft); **Unpowered aircraft** (Any accident with balloon, glider, hang glider, kite carrying a person); **Other vehicles** (non-motor, non-road vehicle Not otherwise specified).
19. **Suffocation:** include inhalation and ingestion of food or object, which cause the obstruction of the respiratory tract or suffocation. This group also includes accidental mechanical suffocation (e.g. by plastic bag, closed up in air tight place, accidental hanging).
20. **Unspecified:** unspecified injuries.
21. **Other causes:** include other specified and classifiable injuries; other specified and not elsewhere classifiable injuries; adverse effect of medical & biological substances in therapeutic use.

II. Intentional injuries:


1. Suicide/attempted suicide, are self-inflicted injuries which leads to death or harm, by any means.
2. Assaults are injuries inflicted by another person with intent to injure or kill (homicide), by any means.
3. Legal intervention.
4. Operations of war.

III. Undetermined Intention. These injuries cannot be determined whether they are unintentional or intentional.

10 Years Trend of Injury-Related Deaths 2001-2010




2006-2010 Death Due to Injury for SC Counties Average Rate per 100,000, All Ages



2010 South Carolina Injury Fast Facts

- ❖ Unintentional injury is the leading cause of death for people 1-44 years old nationally and in South Carolina with motor vehicle crashes (MVC) being the primary cause of these injuries.
- ❖ In 2010, there were 3,252 deaths in South Carolina due to all injury, intentional and unintentional – the crude death rate was 70.3 per 100,000 population.
- ❖ Among counties that **had at least 20 deaths**: the highest death rate was in Colleton County (41deaths, and rate of 105.4/100,000 population). The lowest death rate was in Dorchester County (65deaths and rate of 47.6/100,000 population).
- ❖ There were 177 deaths among children 0-17 years old (rate 16.2/100,000) and 742 deaths among people 65 and older (rate 117.4/100,000).
- ❖ The top 5 causes of injury deaths for all ages were: suicide, poisoning, MVC and homicide. The top 5 causes of injury death among children 0-17 years were: MVC, homicide, suffocation, drowning, and suicide. The top 5 causes of injury death among people 65 years and older were: falls, suicide, MVC, suffocation and poisoning.
- ❖ In 2010, there were 442,973 **non-fatal injuries** (hospitalization and emergency department visits) in SC with crude rate of 957.7/10,000 population. The highest rate was in Cherokee County and the lowest was in Edgefield County (rates 1,586 & 468.8/10,000 respectively).
- ❖ For all ages, Cherokee County had the highest non-fatal injury rate (8,777 injuries & rate of 1,586.0/10,000 population). The lowest non-fatal injury rate was in Edgefield County (1,265 injuries & rate of 468.8/10,000 population).
- ❖ Hampton County had the highest non-fatal injury rate for age groups 0-17 and 65+ (1,848.4 & 1381.6/10,000 respectively). Saluda County had the lowest injury rates for children 0-17 years old and people 65 and older (403.8 & 462.5/10,000 respectively).
- ❖ Falls, Natural, and Environmental factors, MVC, Struck by /caught in between, and overexertion were the top 5 causes of non-fatal injuries for all ages and for age groups 0-17 and 65+.

South Carolina



2010 Causes of Injury-Related Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	3,252	70.3	All Causes	177	16.2	All Causes	742	117.4
Suicide	628	13.6	MVC	44	4.0	Fall	225	35.6
Poisoning	608	13.1	Homicide	30	2.7	Unspecified causes	116	18.4
MVC	597	12.9	Suffocation	28	2.6	Suicide	89	14.1
Homicide	325	7.0	Drowning	16	1.5	MVC	88	13.9
Fall	286	6.2	Suicide	15	1.4	Suffocation	79	12.5
Unspecified causes	143	3.1	Pedestrians	13	1.2	Poisoning	30	4.7
Suffocation	142	3.1	Undetermined Intention	10	0.9	Homicide	21	3.3
Pedestrians	101	2.2	Firearm	6	0.5	Pedestrians	19	3.0
Motor Cyclists	85	1.8	Other Transport	4	--	Fire/Flame	18	2.8
Drowning	72	1.6	Poisoning	4	--	Natural/Environmental	10	1.6
Fire/Flame	60	1.3	Unspecified causes	3	--	Other Causes	10	1.6
Other Transport	48	1.0	Fall	2	--	Undetermined Intention	10	1.6
Undetermined Intention	45	1.0	Fire/Flame	2	--	Other Transport	9	1.4
Natural/Environmental	24	0.5				Drowning	4	--
Other Causes	24	0.5				Motor Cyclists	4	--
Firearm	22	0.5				Pedal Cyclists	3	--
Pedal Cyclists	16	0.3				Struck by/caught	3	--
Struck by/caught In	15	0.3				Firearm	2	--
Legal Intervention	5	0.1				Machinery	2	--
Machinery	3	--						
Burn hot Object	2	--						
Cut/Pierce	1	--						

Age specific rate per 100,000

-- No rate generated for numbers less than 5

All Causes are Unintentional except (suicide, homicide, legal intervention & Undetermined Intention)

2010 Injury Death South Carolina Counties

County	All ages		0-17 Years		65+ Years	
	No.	Rate	No.	Rate	No.	Rate
Abbeville	16	62.9	2	34.0	6	142.9
Aiken	116	72.5	10	27.1	24	97.5
Allendale	5	48.0	0	0.0	1	--
Anderson	173	92.4	4	--	49	173.0
Bamberg	18	112.6	0	0.0	4	--
Barnwell	15	66.3	1	--	3	--
Beaufort	92	56.7	7	20.0	26	78.7
Berkeley	107	60.2	7	15.5	16	89.9
Calhoun	18	118.6	2	--	4	--
Charleston	266	76.0	19	25.4	58	129.7
Cherokee	29	52.4	4	--	6	80.6
Chester	30	90.5	1	--	8	165.3
Chesterfield	35	74.9	2	--	5	79.0
Clarendon	34	97.2	3	--	13	221.5
Colleton	41	105.4	0	0.0	6	98.7
Darlington	46	67.0	3	--	11	112.4
Dillon	22	68.6	0	0.0	2	--
Dorchester	65	47.6	4	--	13	93.9
Edgefield	11	40.8	0	0.0	1	--
Fairfield	21	87.6	2	--	4	--
Florence	89	65.0	1	--	12	66.6
Georgetown	40	66.5	1	--	13	109.1
Greenville	286	63.4	12	11.0	68	118.1
Greenwood	50	71.8	3	--	13	123.3
Hampton	14	66.4	0	0.0	4	--
Horry	186	69.1	8	14.5	43	93.3
Jasper	26	104.9	0	0.0	8	288.8
Kershaw	45	72.9	3	--	9	102.3
Lancaster	53	69.1	7	39.4	14	119.3
Laurens	50	75.1	1	--	10	100.1
Lee	10	52.0	1	--	0	0.0
Lexington	177	67.5	14	22.0	31	96.5
McCormick	4	--	0	0.0	1	--

Age specific rate per 100,000

-- No rate generated for numbers less than 5

2010 Injury Death
South Carolina Counties (Continued)

County	All ages		0-17 Years		65+ Years	
	No.	Rate	No.	Rate	No.	Rate
Marion	28	84.7	1	--	3	--
Marlboro	25	86.4	3	--	4	--
Newberry	30	80.0	0	0.0	10	167.8
Oconee	61	82.1	2	--	13	92.1
Orangeburg	88	95.1	6	27.1	21	152.9
Pickens	103	86.4	3	--	22	137.6
Richland	242	62.9	11	11.9	55	146.5
Saluda	16	80.5	1	21.7	3	--
Spartanburg	224	78.8	11	15.7	52	136.0
Sumter	65	60.5	8	29.0	20	143.7
Union	11	38.0	0	0.0	2	--
Williamsburg	33	95.9	1	--	9	178.6
York	134	59.3	8	13.8	41	160.0
SC	3,250	75.2	177	16.2	741	117.3

Age specific rate per 100,000

-- No rate generated for numbers less than 5

Non-Fatal Injuries, All Ages South Carolina, 2010

Cause of Injury	Number	Rate
All Causes	442,973	957.7
Falls	114,747	248.1
Natural, Environmental Factors	76,036	164.4
MVC	59,519	128.7
Struck by /caught in	43,184	93.4
Overexertion	36,178	78.2
Piercing/Cutting	26,115	56.5
Assault	19,296	41.7
Sports & Recreation	17,992	38.9
Foreign Body	8,093	17.5
Adverse Effects of Therapeutic Drugs	7,114	15.4
Poisoning	5,407	11.7
Hot Substance	5,260	11.4
Attempted Suicide	5,171	11.2
Unknown Cause	3,728	8.1
Motorcyclist	3,047	6.6
Other Transport	2,237	4.8
Undetermined	2,167	4.7
Fire and Flame	1,896	4.1
Pedestrian	1,744	3.8
Machinery	1,402	3.0
Firearm	935	2.0
Other Unintentional Injury	678	1.5
Injury Due to Legal Intervention	490	1.1
Near Suffocation	312	0.7
Pedal Cyclist	156	0.3
Near Drowning	65	0.1
Operation of war	4	----

Rate per 10,000

-- No rate generated for numbers less than 5

All Causes are Unintentional except (suicide, homicide, legal intervention & Undetermined Intention)

**Non-Fatal Injuries for Ages 0-17, 65 and Older
South Carolina, 2010**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	102,975	942.2	All Causes	57,934	916.8
Falls	25,378	232.2	Falls	33,377	528.2
Struck by /caught	15,564	142.4	Natural, Environmental	9,478	150.0
Natural, Environmental	15,417	141.1	MVC	3,344	52.9
Sports/Recreation	11,109	101.6	Struck by /caught in	2,734	43.3
MVC	8,098	74.1	Overexertion	2,104	33.3
Overexertion	6,422	58.8	Piercing/Cutting	1,834	29.0
Piercing/Cutting	6,198	56.7	Adverse Effects of Therapeutic Drugs	1,172	18.5
Foreign Body	3,491	31.9	Foreign Body	1,172	18.5
Assault	2,157	19.7	Poisoning	773	12.2
Poisoning	1,783	16.3	Unknown Cause	730	11.6
Hot Substance	1,538	14.1	Assault	323	5.1
Adverse Effects of Therapeutic Drugs	1,384	12.7	Sports/ Recreation	302	4.8
Unknown Cause	1,301	11.9	Hot Substance	240	3.8
Other Transport	589	5.4	Other Transport	176	2.8
Attempted Suicide	558	5.1	Fire and Flame	167	2.6
Undetermined Intention	392	3.6	Machinery	152	2.4
Fire and Flame	356	3.3	Attempted Suicide	152	2.4
Pedestrian	318	2.9	Undetermined	148	2.3
Firearm	292	2.7	Pedestrian	102	1.6
Motorcyclist	189	1.7	Near Suffocation	95	1.5
Other Unintentional Injury	145	1.3	Motorcyclist	94	1.5
Near Suffocation	143	1.3	Other Unintentional Injury	30	0.5
Machinery	51	0.5	Firearm	27	0.4
Near Drowning	37	0.3	Injury Due to Legal Intervention	10	0.2
Pedal Cyclist	34	0.3	Pedal Cyclist	5	0.1
Injury Due to Legal Intervention	31	0.3	Near Drowning	2	-----

Age specific rate per 10,000

-- No rate generated for numbers less than 5

All Causes are Unintentional except (suicide, homicide, legal intervention & Undetermined Intention)

2010 Non-Fatal Injury South Carolina Counties

County	All ages		0-17 Years		65+ Years	
	No.	Rate	No.	Rate	No.	Rate
Abbeville	2,797	1,100.4	720	1,244.2	426	1014.3
Aiken	8,646	540.0	2,085	566.2	1501	609.7
Allendale	1,455	1396.5	412	1771.3	153	1108.7
Anderson	13,225	706.7	2,723	607.5	2157	761.4
Bamberg	1,695	1060.2	410	1147.5	235	914.4
Barnwell	2,163	956.2	617	1064.2	289	911.7
Beaufort	12,117	746.9	2,675	778.8	2638	798.7
Berkeley	17,445	980.9	4,151	923.2	1744	980.3
Calhoun	1,240	817.1	282	855.8	162	655.9
Charleston	33,535	957.6	7,092	976.1	4795	1072.2
Cherokee	8,777	1,586.0	2,138	1,565.8	936	1258.1
Chester	4,814	1,452.6	1,240	1,564.1	643	1328.5
Chesterfield	3,302	706.6	866	749.3	395	624.0
Clarendon	3,138	897.3	818	1,047.5	450	766.6
Colleton	5,497	1,413.4	1,405	1,480.2	765	1258.2
Darlington	6,419	934.6	1,515	909.5	762	778.3
Dillon	3,607	1,125.0	878	1024.0	386	927.9
Dorchester	14,244	1,043.1	3,660	988.5	1484	1071.5
Edgefield	1,265	468.8	383	663.7	170	483.0
Fairfield	3,687	1539.1	883	1625.9	371	1039.2
Florence	13,491	985.6	3,136	930.6	1669	926.2
Georgetown	7,456	1239.4	1,836	1410.1	1302	1092.3
Greenville	44,272	981.2	10,201	933.2	5723	993.9
Greenwood	9,284	1,332.7	2,174	1,317.0	1203	1141.4
Hampton	3,264	1,547.7	941	1,848.4	391	1381.6
Horry	30,166	1,120.2	6,600	1,216.8	4446	965.1
Jasper	2,371	956.9	677	1,102.4	209	754.5
Kershaw	7,087	1148.7	1,657	1,094.5	941	1069.3
Lancaster	6,878	897.3	1,736	973.6	817	695.9
Laurens	9,409	1414.1	2,065	1338.6	1145	1146.1
Lee	1,833	953.7	432	1013.4	215	826.9
Lexington	19,839	756.1	3,938	613.8	2458	765.5
McCormick	772	754.4	156	1,052.6	164	669.4


Age specific rate per 10,000

2010 Non-Fatal Injury
South Carolina Counties (Continued)

County	All ages		0-17 Years		65+ Years	
	No.	Rate	No.	Rate	No.	Rate
Marion	3,921	1,186.0	972	1,204.3	530	1092.8
Marlboro	2,930	1,012.7	812	1,284.2	260	687.8
Newberry	4,508	1,201.9	1,086	1,271.1	593	995.0
Oconee	7,956	1,071.2	1,605	1,021.8	1340	949.7
Orangeburg	10,111	1,093.1	2,304	1,074.7	1188	865.3
Pickens	16,470	1,381.4	3,883	1,598.8	1987	1242.7
Richland	29,757	773.9	6,940	792.66	3057	814.3
Saluda	1,027	516.7	185	403.8	148	462.5
Spartanburg	30,918	1,087.5	7,215	1,038.9	3745	979.6
Sumter	11,400	1,060.9	2,752	1,003.2	1235	887.2
Union	4,036	1,393.6	1,083	1,640.9	544	1140.5
Williamsburg	3,781	1,098.4	938	1,154.9	462	916.7
York	10,832	479.1	2,673	462.9	1696	661.7
SC	442,973	957.7	102,975	942.2	57,934	916.8

Age specific rate per 10,000

Abbeville County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	16	62.9	All Causes	2	---	All Causes	6	142.9
MVC	3	---	Firearm	1	---	Suicide	2	---
Suicide	3	---	MVC	1	---	Fall	1	---
Machinery	2	---				Machinery	1	---
Poisoning	2	---				Other Causes	1	---

Age specific rate per 100,000

-- No rate generated for numbers less than 5

All Causes are Unintentional except (suicide, homicide)


Top Causes Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	2,797	1,100.4	All Causes	720	1,244.2	All Causes	426	1014.3
Falls	711	279.7	Falls	153	264.4	Falls	216	514.3
Natural, Environmental	482	189.6	Sports/ Recreation	129	222.9	Natural, Environmental	74	176.2
MVC	377	148.3	Natural,	107	184.9	MVC	30	71.4
Struck By/Caught In	272	107.0	Struck By/Caught In	94	162.4	Struck By/Caught In	28	66.7
Overexertion	223	87.7	Piercing/ Cutting	57	98.5	Piercing/Cutting	21	50.0
Piercing/Cutting	200	78.7	MVC	51	88.1	Overexertion	16	38.1
Sports/Recreation	177	69.6	Overexertion	43	74.3	Foreign Body	7	16.7
Assault	89	35.0	Foreign Body	21	36.3	Adverse Effects	6	14.3

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Aiken County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	116	72.5	All Causes	10	27.1	All Causes	24	97.5
Poisoning	25	15.6	Suffocation	3	---	Fall	7	28.4
Suicide	23	14.4	Drowning	2	---	Unspecified causes	6	24.4
MVC	21	13.1	Homicide	2	---	Suicide	5	20.3
Fall	11	6.9	MVC	2	---	Suffocation	3	---
Homicide	11	6.9	Suicide	1	---	Homicide	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	8,646	540.0	All Causes	2,085	566.2	All Causes	1,501	609.7
Falls	2,317	46.7	Natural, Environmental	519	140.9	Falls	828	336.3
Natural, Environmental	2,145	0.1	Falls	486	132.0	Natural, Environmental	374	151.9
Piercing/ Cutting	748	144.7	Struck By/Caught In	253	68.7	Piercing/Cutting	51	20.7
MVC	699	3.9	Piercing/Cutting	193	52.4	Struck By/Caught In	44	17.9
Struck By/Caught In	698	5.9	Sports/ Recreation	141	38.3	MVC	42	17.1
Overexertion	537	0.9	Overexertion	117	31.8	Overexertion	34	13.8
Assault	311	1.2	MVC	95	25.8	Adverse Effects	31	12.6
Sports/ Recreation	267	43.7	Foreign Body	90	24.4	Poisoning	22	8.9

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Allendale County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	5	48.0	All Causes	0	0	All Causes	1	---
Drowning	1	---				Natural/Environmental	1	---
Fall	1	---						
Firearm	1	---						
Homicide	1	---						
Natural/Environmental	1	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	1,455	1,396.5	All Causes	412	1,771.3	All Causes	153	1108.7
Falls	317	304.3	Falls	89	382.6	Falls	77	558.0
Natural, Environmental	316	303.3	Natural, Environmental	85	365.4	Natural, Environmental	33	239.1
MVC	179	171.8	Struck By/Caught In	60	258.0	Struck By/Caught In	13	94.2
Struck By/Caught In	148	142.1	Sports/ Recreation	47	202.1	MVC	9	65.2
Assault	118	113.25	Piercing/Cutting	35	150.5	Overexertion	5	36.2
Piercing/Cutting	101	96.9	Assault	24	103.2	Piercing/Cutting	3	----
Overexertion	95	91.2	MVC	22	94.6	Foreign Body	3	----
Sports/ Recreation	61	58.6	Overexertion	17	73.1	Adverse Effects	3	----

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Anderson County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	173	92.4	All Causes	4	---	All Causes	49	173.0
Suicide	40	21.4	Firearm	1	---	Fall	15	52.9
Poisoning	35	18.7	MVC	1	---	Suicide	9	31.8
MVC	26	13.9	Pedestrians	1	---	MVC	7	24.7
Fall	18	9.6	Suffocation	1	---	Suffocation	5	17.6
Homicide	10	5.3				Motor Cyclists	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	13,225	706.7	All Causes	2,723	607.5	All Causes	2,157	761.4
Falls	3,730	199.3	Falls	657	146.6	Fall	1,319	465.6
Natural, Environmental	1,773	94.8	Sports & Recreation	381	85.0	Natural, Environmental	217	76.6
MVC	1,739	92.9	Struck By/Caught In	370	82.5	MVC	139	49.1
Struck By/Caught In	1,126	60.2	Natural, Environmental	328	73.2	Struck By/Caught In	96	33.9
Overexertion	941	50.3	MVC	225	50.2	Overexertion	71	25.1
Piercing/ Cutting	684	36.6	Piercing or Cutting	161	35.9	Adverse Effects	69	24.4
Assault	636	34.0	Overexertion	149	33.2	Piercing/Cutting	44	15.5
Sports/Recreation	628	33.6	Foreign Body	84	18.7	Foreign Body	39	13.8

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Bamberg County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	18	112.6	All Causes	0	0	All Causes	4	---
MVC	5	31.3				Fall	2	---
Poisoning	3	---				MVC	1	---
Fall	2	---				Suffocation	1	---
Pedestrians	2	---						
Suicide	2	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	1,695	1,060.2	All Causes	410	1,147.5	All Causes	235	914.4
Falls	407	254.6	Falls	86	240.7	Falls	127	494.2
Natural, Environmental	369	230.8	Natural, Environmental	77	215.5	Natural, Environmental	39	151.8
MVC	244	152.6	Sports/ Recreation	62	173.5	MVC	16	62.3
Struck By/Caught In	140	87.6	Struck By/Caught In	55	153.9	Piercing/Cutting	14	54.5
Piercing/Cutting	113	70.7	MVC	40	112.0	Struck By/Caught In	14	54.5
Sports/ Recreation	97	60.7	Piercing/Cutting	23	64.4	Adverse Effects	8	31.1
Assault	87	54.4	Overexertion	15	42.0	Foreign Body	6	23.3
Overexertion	72	45.0	Foreign Body	13	36.4	Hot Substance	4	----

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Barnwell County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	15	66.3	All Causes	1	---	All Causes	3	---
MVC	5	22.1	MVC	1	---	MVC	1	---
Suicide	4	---				Suffocation	1	---
Suffocation	2	---				Suicide	1	---
Drowning	1	---						
Homicide	1	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	2,163	956.2	All Causes	617	1,064.2	All Causes	289	911.7
Piercing/Cutting	162	71.6	Falls	150	258.7	Falls	177	558.4
Falls	622	275.0	Natural, Environmental	118	203.5	Natural, Environmental	39	123.0
Natural, Environmental	360	159.1	Struck By/Caught In	73	125.9	Struck By/Caught In	15	47.3
MVC	270	119.4	Sports/ Recreation	59	101.8	MVC	14	44.2
Struck By/Caught In	200	88.4	MVC	53	91.4	Piercing/Cutting	12	37.9
Sports/ Recreation	106	46.9	Piercing/Cutting	41	70.7	Adverse Effects	6	18.9
Assault	100	44.2	Foreign Body	21	36.2	Poisoning	5	15.8
Overexertion	77	34.0	Assault	21	36.2	Foreign Body	4	----

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Beaufort County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	92	56.7	All Causes	7	20.0	All Causes	26	78.7
Poisoning	16	9.9	Drowning	2	---	Fall	8	18.3
Suicide	16	9.9	MVC	1	---	Suicide	4	---
MVC	11	6.8	Pedestrians	1	---	Suffocation	3	---
Fall	9	5.5	Suffocation	1	---	Poisoning	2	---
Homicide	7	4.3	Undetermined Intent	1	---	Drowning	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	12,117	746.9	All Causes	2,675	778.8	All Causes	2,638	798.7
Piercing/Cutting	820	50.5	Falls	617	179.6	Falls	1,434	434.2
Falls	3,387	208.8	Natural, Environmental	429	124.9	Natural, Environmental	540	163.5
Natural, Environmental	2,518	155.2	Sports/ Recreation	408	118.8	Struck By/Caught In	138	41.8
Struck By/Caught In	1,100	67.8	Struck By/Caught In	371	108.0	Piercing/Cutting	98	29.7
MVC	1,087	67.0	Piercing/Cutting	164	47.8	Overexertion	92	27.9
Overexertion	769	47.4	MVC	135	39.3	MVC	82	24.8
Sports/ Recreation	729	44.9	Overexertion	123	35.8	Adverse Effects	61	18.5
Assault	464	28.6	Foreign Body	85	24.8	Sports/ Recreation	60	18.2

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Berkeley County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	107	60.2	All Causes	7	15.5	All Causes	16	89.9
Suicide	25	14.1	MVC	3	---	Fall	3	---
MVC	23	12.9	Homicide	2	---	Poisoning	2	---
Poisoning	23	12.9	Suffocation	1	---	Suffocation	2	---
Homicide	6	3.4	Suicide	1	---	Suicide	2	---
Fall	4	---				Drowning	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	17,445	980.9	All Causes	4,151	923.2	All Causes	1,744	980.3
Piercing/Cutting	1,096	61.6	Falls	1,088	242.0	Falls	917	515.5
Falls	4,092	230.1	Struck By/Caught In	672	149.5	Natural, Environmental	269	151.2
Natural, Environmental	2,687	151.1	Natural,	555	123.4	MVC	129	72.5
MVC	2,406	135.3	Sports/ Recreation	414	92.1	Overexertion	111	62.4
Overexertion	1,983	111.5	Overexertion	315	70.1	Struck By/Caught In	98	55.1
Struck By/Caught In	1,970	110.8	MVC	302	67.2	Piercing/Cutting	63	35.4
Sports/Recreation	687	38.6	Piercing/Cutting	239	53.2	Adverse Effects	44	24.7
Assault	612	34.4	Foreign Body	137	30.5	Foreign Body	29	16.3

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Calhoun County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	18	118.6	All Causes	2	---	All Causes	4	---
MVC	6	39.5	MVC	2	---	Unspecified causes	2	---
Suicide	4	---				MVC	1	---
Homicide	2	---				Machinery	1	
Unspecified causes	2	---						
Fire/Flame	1	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	1,240	817.1	All Causes	282	855.8	All Causes	162	655.9
Falls	312	205.6	Falls	63	191.2	Falls	90	364.4
MVC	197	129.8	Sports/ Recreation	40	121.4	Natural, Environmental	26	105.3
Natural, Environmental	185	121.9	Struck By/Caught In	36	109.3	MVC	13	52.6
Struck By/Caught In	119	78.4	Natural, Environmental	33	100.2	Struck By/Caught In	10	40.5
Overexertion	110	72.5	Overexertion	20	60.7	Overexertion	6	24.3
Piercing/Cutting	76	50.1	Piercing/Cutting	19	57.7	Adverse Effects	6	24.3
Sports/ Recreation	53	34.9	Foreign Body	17	51.6	Piercing/Cutting	5	20.2
Assault	51	33.6	MVC	14	42.5	Poisoning	2	-----

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Charleston County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	266	76.0	All Causes	19	25.4	All Causes	58	129.7
Suicide	54	15.4	Homicide	6	8.0	Fall	23	51.4
Poisoning	53	15.1	Suffocation	3	---	Suicide	11	24.6
Homicide	40	11.4	Suicide	3	---	Unspecified causes	7	15.7
Fall	30	8.6	Drowning	2	---	Suffocation	5	11.2
MVC	27	7.7	Pedestrians	2	---	Fire/Flame	3	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	33,535	957.6	All Causes	7,092	976.08	All Causes	4,795	1072.2
Falls	8,532	243.6	Falls	1,841	253.4	Falls	2,708	605.5
Natural, Environmental	5,644	161.2	Struck By/Caught In	1,080	148.6	Natural, Environmental	794	177.5
MVC	3,974	113.5	Natural, Environmental	965	132.8	Overexertion	281	62.8
Overexertion	3,308	94.5	Sports/ Recreation	861	118.5	MVC	278	62.2
Struck By/Caught In	3,119	89.1	Overexertion	429	59.0	Struck By/Caught In	245	54.8
Piercing/Cutting	2,081	59.4	Piercing/Cutting	408	56.2	Piercing/Cutting	131	29.3
Assault	1,662	47.5	MVC	399	54.9	Adverse Effects	77	17.2
Sports/ Recreation	1,518	43.4	Foreign Body	289	39.8	Foreign Body	63	14.1

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Cherokee County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	29	52.4	All Causes	4	---	All Causes	6	80.6
Poisoning	8	14.5	Homicide	2	---	Fall	3	---
Homicide	6	10.8	MVC	1	---	MVC	2	---
Suicide	6	10.8	Suffocation	1	---	Poisoning	1	---
MVC	5	9.0						
Fall	3	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	8,777	1,586.0	All Causes	2,138	1,565.8	All Causes	936	1,258.1
Falls	1,938	350.2	Struck By/Caught In	411	301.0	Falls	465	625.0
Natural, Environmental	1,597	288.6	Falls	406	297.4	Natural, Environmental	200	268.8
Struck By/Caught In	1,102	199.1	Sports/ Recreation	354	259.3	Struck By/Caught In	88	118.3
MVC	1,077	194.6	Natural, Environmental	286	209.5	MVC	47	63.2
Overexertion	730	131.9	MVC	161	117.9	Overexertion	30	40.3
Sports/ Recreation	527	95.2	Overexertion	139	101.8	Foreign Body	24	32.3
Piercing/Cutting	427	77.2	Piercing/Cutting	101	74.0	Piercing/Cutting	19	25.5
Assault	426	77.0	Assault	62	45.4	Adverse Effects	17	22.8

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Chester County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	30	90.5	All Causes	1	---	All Causes	8	165.3
MVC	12	36.2	MVC	1	---	Fall	2	---
Poisoning	5	15.1				MVC	2	---
Homicide	4	---				Fire/Flame	1	---
Suicide	3	---				Fall	2	---
Fall	2	---				Suicide	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	4,814	1,452.6	All Causes	1,240	1,564.1	All Causes	643	1328.5
Falls	1,111	335.2	Struck By/Caught In	233	293.9	Falls	316	652.9
Natural, Environmental	900	271.6	Falls	231	291.4	Natural, Environmental	147	303.7
MVC	702	211.8	Natural, Environmental	194	244.7	Struck By/Caught In	48	99.2
Struck By/Caught In	569	171.7	Sports/ Recreation	153	193.0	MVC	31	64.0
Overexertion	306	92.3	MVC	96	121.1	Overexertion	23	47.5
Piercing/Cutting	278	83.9	Piercing/Cutting	84	106.0	Piercing/Cutting	16	33.1
Sports/ Recreation	217	65.5	Overexertion	80	100.9	Adverse Effects	16	33.1
Assault	196	59.1	Foreign Body	44	55.5	Foreign Body	15	31.0

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Chesterfield County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	35	74.9	All Causes	2	---	All Causes	5	79.0
MVC	12	25.7	Drowning	1	---	MVC	2	---
Homicide	4	---	MVC	1	---	Unspecified causes	2	---
Poisoning	4	---				Fire/Flame	1	---
Fire/Flame	2	---						
Suicide	2	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	3,302	706.6	All Causes	866	749.3	All Causes	395	624.0
Falls	824	176.3	Falls	182	157.5	Falls	230	363.3
Natural, Environmental	570	122.0	Struck By/Caught In	135	116.8	Natural, Environmental	53	83.7
MVC	413	88.4	Natural, Environmental	131	113.4	MVC	35	55.3
Struck By/Caught In	382	81.7	Sports/ Recreation	117	101.2	Struck By/Caught In	18	28.4
Overexertion	277	59.3	Overexertion	74	64.0	Piercing/Cutting	14	22.1
Piercing/Cutting	212	45.4	MVC	69	59.7	Overexertion	10	15.8
Sports/ Recreation	153	32.7	Piercing/Cutting	63	54.5	Adverse Effects	8	12.6
Assault	146	31.2	Assault	18	15.6	Poisoning	7	11.1

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Clarendon County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	34	97.2	All Causes	3	---	All Causes	13	221.5
MVC	8	22.9	MVC	3	---	Unspecified causes	6	102.2
Fall	5	14.3				Fall	3	---
Suicide	3	---				MVC	2	---
Pedestrians	2	---				Suffocation	1	---
Poisoning	2	---				Suicide	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	3,138	897.3	All Causes	818	1,047.5	All Causes	450	766.6
Falls	739	211.3	Falls	194	248.4	Falls	214	364.6
Natural, Environmental	679	194.2	Natural, Environmental	142	181.8	Natural, Environmental	116	197.6
MVC	419	119.8	Struck By/Caught In	127	162.6	MVC	25	42.6
Struck By/Caught In	308	88.1	Sports/ Recreation	114	146.0	Struck By/Caught In	18	30.7
Overexertion	198	56.6	MVC	65	83.2	Piercing/Cutting	17	29.0
Piercing/Cutting	182	52.0	Overexertion	42	53.8	Overexertion	11	18.7
Sports/ Recreation	158	45.2	Piercing/Cutting	33	42.3	Adverse Effects	9	15.3
Assault	143	40.9	Foreign Body	22	28.2	Assault	5	8.5

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Colleton County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	41	117.2	All Causes	0	0	All Causes	6	98.7
MVC	12	34.3				Fall	3	---
Poisoning	10	28.6				MVC	1	---
Suicide	7	20.0				Suicide	1	---
Fall	4	---				Unspecified causes	1	---
Homicide	4	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	5,497	1,413.4	All Causes	1,405	1,480.2	All Causes	765	1258.2
Falls	1,285	330.4	Falls	333	350.8	Falls	392	644.7
Natural, Environmental	1,164	299.3	Natural, Environmental	247	260.2	Natural,	171	281.3
MVC	716	184.1	Struck By/Caught In	225	237.0	MVC	58	95.4
Struck By/Caught In	601	154.5	Sports/ Recreation	116	122.2	Struck By/	33	54.3
Overexertion	458	117.8	MVC	94	99.0	Overexertion	29	47.7
Piercing/Cutting	307	78.9	Overexertion	92	96.9	Piercing or Cutting	21	34.5
Assault	248	63.8	Piercing/Cutting	91	95.9	Foreign Body	10	16.4
Sports/ Recreation	189	48.6	Foreign Body	60	63.2	Adverse Effects	8	13.2

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Darlington County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	46	67.0	All Causes	3	---	All Causes	11	112.4
Homicide	9	13.1	Drowning	2	---	Fall	3	---
MVC	9	13.1	Homicide	1	---	Suffocation	3	---
Poisoning	6	8.7				MVC	2	---
Fall	5	7.3				Unspecified causes	2	---
Suffocation	4	---				Pedestrians	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	6,419	934.6	All Causes	1,515	909.5	All Causes	762	778.3
Falls	1,522	221.6	Falls	309	185.5	Falls	433	442.3
Natural, Environmental	1,410	205.3	Natural, Environmental	287	172.3	Natural, Environmental	144	147.1
MVC	841	122.5	Struck By/Caught In	219	131.5	MVC	54	55.2
Struck By/Caught In	579	84.3	Sports/ Recreation	181	108.7	Struck By/Caught In	36	36.8
Piercing/Cutting	400	58.2	MVC	125	75.0	Piercing/Cutting	23	23.5
Overexertion	372	54.2	Piercing/Cutting	106	63.6	Adverse Effects	16	16.3
Assault	327	47.6	Overexertion	79	47.4	Overexertion	12	12.3
Sports/ Recreation	289	42.1	Foreign Body	60	36.0	Poisoning	12	12.3

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Dillon County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	22	68.6	All Causes	0	0	All Causes	2	---
MVC	9	28.1				Fall	1	---
Fall	3	---				Unspecified causes	1	---
Homicide	3	---						
Drowning	1	---						
Motor Cyclists	1	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	3,607	1,125.0	All Causes	878	1,024.0	All Causes	386	927.9
Falls	810	252.6	Falls	186	216.9	Falls	224	538.5
Natural, Environmental	637	198.7	Natural, Environmental	148	172.6	Natural, Environmental	52	125.0
MVC	510	159.1	Struck By/Caught In	115	134.1	Struck By/Caught In	18	43.3
Struck By/Caught In	320	99.8	Sports/ Recreation	86	100.3	Piercing or Cutting	17	40.9
Overexertion	305	95.1	Piercing/Cutting	85	99.1	MVC	16	38.5
Piercing/Cutting	280	87.3	MVC	68	79.3	Overexertion	13	31.3
Assault	216	67.4	Overexertion	56	65.3	Poisoning	10	24.0
Sports/ Recreation	126	39.3	Assault	27	31.5	Foreign Body	9	21.6

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Dorchester County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	65	47.6	All Causes	4	---	All Causes	13	93.9
Suicide	12	8.8	Drowning	1	---	Fall	4	---
Poisoning	11	8.1	Fire/Flame	1	---	Suffocation	3	---
MVC	9	6.6	Suffocation	1	---	Homicide	2	---
Homicide	7	5.1	Suicide	1	---	MVC	1	---
Fall	6	4.4				Pedestrians	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	14,244	1043.1	All Causes	3,660	988.5	All Causes	1,484	1071.5
Falls	3,375	247.2	Falls	906	244.7	Falls	876	632.5
Natural, Environmental	2,229	163.2	Struck By/Caught In	607	163.9	Natural, Environmental	193	139.4
MVC	1,992	145.9	Natural,	500	135.0	MVC	100	72.2
Overexertion	1,570	115.0	Sports/ Recreation	349	94.3	Struck By/Caught In	73	52.7
Struck By/Caught In	1,527	111.8	MVC	292	78.9	Overexertion	70	50.5
Piercing/Cutting	863	63.2	Overexertion	277	74.8	Piercing/Cutting	56	40.4
Assault	534	39.1	Piercing/Cutting	212	57.3	Adverse Effects	33	23.8
Sports/ Recreation	528	38.7	Foreign Body	129	34.8	Poisoning	22	15.9

Age specific rate per 100,000

All Causes are Unintentional except (assault, attempted suicide)

Edgefield County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	11	40.8	All Causes	0	0	All Causes	1	---
Homicide	3	---				Unspecified causes	1	---
MVC	2	---						
Suicide	2	---						
Drowning	1	---						
Firearm	1	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	1,265	468.8	All Causes	383	663.7	All Causes	170	483.0
Falls	319	118.2	Falls	82	142.1	Falls	87	247.2
Natural, Environmental	192	71.2	Struck By/Caught In	70	121.3	Natural, Environmental	32	90.9
Struck By/Caught In	150	55.6	Natural, Environmental	55	95.3	Piercing/Cutting	14	39.8
Overexertion	135	50.0	Sports/ Recreation	54	93.6	MVC	11	31.3
MVC	111	41.1	Overexertion	43	74.5	Struck By/Caught In	6	17.0
Piercing/Cutting	107	39.7	Piercing/Cutting	27	46.8	Adverse Effects	5	14.2
Sports/ Recreation	76	28.2	MVC	17	29.5	Overexertion	4	-----
Assault	60	22.2	Foreign Body	12	20.8	Hot Substance	2	-----

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Fairfield County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	21	87.6	All Causes	2	---	All Causes	4	---
MVC	8	33.4	MVC	1	---	Fall	2	---
Fall	3	---	Poisoning	1	---	MVC	1	---
Poisoning	2	---				Unspecified causes	1	---
Suffocation	2	---						
Suicide	2	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	3,687	1539.1	All Causes	883	1,625.9	All Causes	371	1039.2
Falls	753	314.3	Falls	158	290.9	Falls	196	549.0
Natural, Environmental	704	293.9	Natural, Environmental	141	259.6	Natural, Environmental	75	210.1
MVC	682	284.7	Struck By/Caught In	129	237.5	MVC	23	64.4
Struck By/Caught In	363	151.5	MVC	112	206.2	Struck By/Caught In	23	64.4
Overexertion	265	110.6	Sports/ Recreation	54	99.4	Piercing/Cutting	15	42.0
Assault	198	82.7	Overexertion	52	95.8	Overexertion	11	30.8
Piercing/Cutting	195	81.4	Piercing/Cutting	48	88.4	Adverse Effects	7	19.6
Sports/ Recreation	81	33.8	Assault	27	49.7	Foreign Body	4	11.2

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Florence County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	89	65.0	All Causes	1	---	All Causes	22	131.9
MVC	17	12.4	Other Transport	1	---	Fall	4	---
Poisoning	17	12.4				Suicide	2	---
Suicide	15	11.0				Fire/Flame	1	---
Homicide	11	8.0				MVC	1	---
Fall	5	3.7				Suffocation	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	13,491	985.6	All Causes	3,136	930.6	All Causes	1,669	926.2
Falls	3,392	247.8	Falls	728	216.0	Falls	957	531.1
Natural, Environmental	2,511	183.4	Natural, Environmental	543	161.1	Natural,	289	160.4
MVC	2,014	147.1	Struck By/Caught In	428	127.0	MVC	106	58.8
Struck By/Caught In	1,165	85.1	Sports/ Recreation	308	91.4	Struck By/	89	49.4
Piercing/Cutting	883	64.5	MVC	267	79.2	Piercing or Cutting	53	29.4
Overexertion	842	61.5	Piercing/Cutting	226	67.1	Overexertion	43	23.9
Assault	654	47.8	Overexertion	138	41.0	Adverse Effects	29	16.1
Sports/ Recreation	522	38.1	Foreign Body	108	32.1	Foreign Body	20	11.1

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Georgetown County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	40	66.5	All Causes	1	---	All Causes	17	163.6
MVC	11	18.3	Suffocation	1	---	Fall	5	41.9
Suicide	8	13.3				MVC	3	---
Fall	5	8.3				Suffocation	2	---
Poisoning	5	8.3				Unspecified causes	2	---
Suffocation	3	---				Other Transport	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	7,456	1239.4	All Causes	1,836	1,410.1	All Causes	1,669	926.2
Falls	2,068	343.8	Falls	445	341.8	Falls	957	531.1
MVC	989	164.4	Struck By/Caught In	306	235.0	Natural, Environmental	289	160.4
Natural, Environmental	980	162.9	Natural, Environmental	239	183.6	MVC	106	58.8
Struck By/Caught In	811	134.8	Sports/ Recreation	220	169.0	Struck By/Caught In	89	49.4
Overexertion	677	112.5	Overexertion	140	107.5	Piercing/Cutting	53	29.4
Piercing/Cutting	510	84.8	MVC	135	103.7	Overexertion	43	23.9
Sports/ Recreation	345	57.4	Piercing/Cutting	119	91.4	Adverse Effects	29	16.1
Assault	252	41.9	Foreign Body	50	38.4	Foreign Body	20	11.1

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Greenville County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	286	63.4	All Causes	12	11.0	All Causes	68	118.1
Suicide	72	16.0	MVC	3	4.8	Fall	27	46.9
Poisoning	62	13.7	Pedestrians	3	---	Suffocation	12	20.8
MVC	34	7.5	Drowning	2	---	Suicide	8	13.9
Fall	33	7.3	Homicide	2	---	MVC	7	12.2
Homicide	23	5.1	Suffocation	2	---	Poisoning	3	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	44,272	981.2	All Causes	10,201	933.2	All Causes	5,723	993.9
Falls	12,018	266.3	Falls	2,668	244.1	Falls	3,454	599.9
Natural, Environmental	8,570	189.9	Natural, Environmental	1,695	155.1	Natural, Environmental	951	165.2
MVC	5,236	116.0	Struck By/Caught In	1,457	133.3	MVC	277	48.1
Struck By/Caught In	3,737	82.8	Sports/ Recreation	977	89.4	Struck By/Caught In	195	33.9
Overexertion	3,188	70.7	MVC	648	59.3	Piercing/Cutting	161	28.0
Piercing/Cutting	2,328	51.6	Overexertion	537	49.1	Overexertion	143	24.8
Sports/Recreation	1,647	36.5	Piercing/Cutting	531	48.6	Adverse Effects	130	22.6
Assault	1,594	35.3	Foreign Body	350	32.0	Poisoning	68	11.8

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Greenwood County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	50	71.8	All Causes	3	---	All Causes	13	123.3
Suicide	12	17.2	Pedestrians	1	---	Suffocation	4	---
Poisoning	7	10.0	Suffocation	1	---	Fall	3	---
MVC	6	8.6	Suicide	1	---	Fire/Flame	3	---
Fire/Flame	5	7.2				Suicide	2	---
Homicide	5	7.2				Undetermined Intention	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	9,284	1332.7	All Causes	2,174	1,317.0	All Causes	1,203	1141.4
Falls	2,393	343.5	Falls	531	321.7	Falls	687	651.8
Natural, Environmental	1,542	221.4	Struck By/Caught In	357	216.3	Natural, Environmental	209	198.3
MVC	1,297	186.2	Natural, Environmental	300	181.7	MVC	68	64.5
Struck By/Caught In	1,061	152.3	Sports/ Recreation	202	122.4	Struck By/Caught In	64	60.7
Overexertion	891	127.9	MVC	198	120.0	Piercing/Cutting	52	49.3
Piercing/Cutting	624	89.6	Piercing/Cutting	159	96.3	Overexertion	46	43.6
Sports/ Recreation	306	43.9	Overexertion	151	91.5	Adverse Effects	20	19.0
Assault	257	36.9	Foreign Body	72	43.6	Poisoning	19	18.0

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Hampton County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	14	66.4	All Causes	0	0	All Causes	4	---
Suicide	4	---				Fall	2	---
Fall	2	---				Suffocation	2	---
MVC	2	---						
Suffocation	2	---						
Drowning	1	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	3,264	1547.7	All Causes	941	1,848.4	All Causes	391	1381.6
Falls	803	380.8	Falls	207	406.6	Falls	209	738.5
Natural, Environmental	654	310.1	Natural, Environmental	161	316.2	Natural, Environmental	78	275.6
MVC	377	178.8	Struck By/Caught In	141	277.0	Struck By/Caught In	23	81.3
Struck By/Caught In	347	164.5	Sports/ Recreation	124	243.6	Piercing/Cutting	21	74.2
Overexertion	255	120.9	Piercing/Cutting	81	159.1	MVC	15	53.0
Piercing/Cutting	235	111.4	Overexertion	81	159.1	Overexertion	9	31.8
Sports/ Recreation	166	78.7	MVC	53	104.1	Poisoning	6	21.2
Assault	127	60.2	Assault	22	43.2	Adverse Effects	5	17.7

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Horry County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	186	69.1	All Causes	8	14.5	All Causes	43	93.3
Poisoning	42	15.6	Firearm	2	13.1	Fall	8	17.4
MVC	40	14.9	MVC	2	---	MVC	7	15.2
Suicide	32	11.9	Drowning	1	---	Poisoning	4	---
Homicide	17	6.3	Poisoning	1	---	Suicide	4	---
Fall	10	3.7	Suffocation	1	---	Pedestrians	2	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	30,166	1120.2	All Causes	6,600	1216.8	All Causes	4,446	965.1
Falls	8,622	320.2	Falls	1,758	324.1	Falls	2,505	543.7
Natural, Environmental	4,839	179.7	Natural, Environmental	1,013	186.8	Natural, Environmental	681	147.8
MVC	3,367	125.0	Struck By/Caught In	1,010	186.2	Struck By/Caught In	255	55.4
Struck By/Caught In	3,117	115.8	Sports/ Recreation	613	113.0	Overexertion	219	47.5
Overexertion	2,414	89.6	MVC	461	85.0	MVC	198	43.0
Piercing/Cutting	1,703	63.2	Overexertion	430	79.3	Piercing/Cutting	174	37.8
Assault	1,335	49.6	Piercing/Cutting	340	62.7	Adverse Effects	106	23.0
Sports/ Recreation	1,101	40.9	Foreign Body	224	41.3	Poisoning	68	14.8

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Jasper County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	26	104.9	All Causes	0	0	All Causes	8	288.8
Poisoning	6	24.2				Unspecified causes	4	---
MVC	5	20.2				MVC	2	---
Suicide	4	---				Suffocation	1	---
Drowning	2	---				Suicide	1	---
Fire/Flame	1	---						


Age specific rate per 100,000
 All Causes are Unintentional except (suicide, homicide)

Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	2,371	956.9	All Causes	677	1102.4	All Causes	209	754.5
Falls	570	230.1	Falls	170	276.8	Falls	113	407.9
Natural, Environmental	482	194.5	Natural, Environmental	115	187.3	Natural, Environmental	39	140.8
MVC	375	151.4	Struck By/Caught In	95	154.7	MVC	15	54.2
Struck By/Caught In	239	96.5	Sports/ Recreation	88	143.3	Struck By/Caught In	12	43.3
Piercing/Cutting	144	58.1	MVC	77	125.4	Piercing/Cutting	11	39.7
Overexertion	140	56.5	Piercing/Cutting	30	48.9	Hot Substance	3	-----
Sports/ Recreation	131	52.9	Overexertion	29	47.2	Overexertion	3	-----
Assault	113	45.6	Foreign Body	19	30.9	Fire & Flame	2	-----

Age specific rate per 10,000
 All Causes are Unintentional except (assault, attempted suicide)

Kershaw County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	45	72.9	All Causes	3	---	All Causes	9	102.3
MVC	10	16.2	Drowning	1	---	MVC	3	---
Poisoning	10	16.2	Homicide	1	---	Fall	2	---
Suicide	8	13.0	MVC	1	---	Suicide	2	---
Fall	3	---				Pedal Cyclists	1	---
Motor Cyclists	3	---				Unspecified causes	1	

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	7,087	1148.7	All Causes	1,657	1094.5	All Causes	941	1069.3
Falls	1,726	279.8	Falls	365	241.1	Falls	520	590.9
Natural, Environmental	1,205	195.3	Natural, Environmental	246	162.5	Natural, Environmental	153	173.9
MVC	1,007	163.2	Struck By/Caught In	230	151.9	MVC	75	85.2
Struck By/Caught In	712	115.4	Sports/ Recreation	201	132.8	Struck By/Caught In	48	54.5
Overexertion	679	110.1	MVC	162	107.0	Overexertion	43	48.9
Piercing/Cutting	377	61.1	Overexertion	126	83.2	Piercing/Cutting	22	25.0
Sports/ Recreation	327	53.0	Piercing/Cutting	93	61.4	Poisoning	17	19.3
Assault	259	42.0	Foreign Body	65	42.9	Foreign Body	14	15.9

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Lancaster County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	53	69.1	All Causes	7	39.4	All Causes	14	119.3
Poisoning	15	19.6	MVC	3	---	Fall	5	42.6
MVC	10	13.0	Suffocation	2	---	Poisoning	4	---
Fall	7	9.1	Homicide	1	---	MVC	2	---
Homicide	6	7.8	Undetermined Intent	1	---	Homicide	1	---
Suicide	6	7.8				Other Transport	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	6,878	897.3	All Causes	1,736	973.6	All Causes	817	695.9
Falls	1,737	226.6	Falls	427	239.5	Falls	464	395.2
MVC	1,149	149.9	Struck By/Caught In	262	146.9	Natural, Environmental	134	114.1
Natural, Environmental	1,100	143.5	Natural, Environmental	247	138.5	MVC	65	55.4
Struck By/Caught In	718	93.7	Sports/ Recreation	196	109.9	Struck By/Caught In	39	33.2
Overexertion	479	62.5	MVC	173	97.0	Overexertion	31	26.4
Piercing/Cutting	380	49.6	Piercing/Cutting	87	48.8	Piercing/Cutting	23	19.6
Sports/ Recreation	278	36.3	Overexertion	87	48.8	Adverse Effects	21	17.9
Assault	254	33.1	Adverse Effects	57	32.0	Poisoning	17	14.5

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Laurens County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	50	75.1	All Causes	1	---	All Causes	10	100.1
Poisoning	14	21.0	MVC	1	---	Fall	3	---
MVC	9	13.5				Unspecified causes	2	---
Suicide	9	13.5				Fire/Flame	1	---
Fall	6	9.0				Poisoning	1	---
Fire/Flame	2	---				Other Transport	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	9,409	1414.1	All Causes	2,065	1,338.6	All Causes	1,145	1146.1
Falls	2,476	372.1	Falls	467	302.7	Falls	735	735.7
Natural, Environmental	1,681	252.6	Struck By/Caught In	364	236.0	Natural, Environmental	155	155.2
MVC	1,174	176.4	Natural, Environmental	343	222.3	MVC	56	56.1
Struck By/Caught In	986	148.2	MVC	176	114.1	Struck By/Caught In	46	46.0
Overexertion	806	121.1	Sports/ Recreation	176	114.1	Piercing/Cutting	41	41.0
Piercing/Cutting	542	81.5	Piercing/Cutting	134	86.9	Overexertion	28	28.0
Assault	418	62.8	Overexertion	132	85.6	Adverse Effects	22	22.0
Sports/ Recreation	272	40.9	Foreign Body	80	51.9	Assault	11	11.0

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Lee County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	10	52.0	All Causes	1	---	All Causes	0	0
Suicide	5	26.0	Poisoning	1	---			
Homicide	2	---						
MVC	2	---						
Poisoning	1	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	1,833	953.7	All Causes	432	1,013.4	All Causes	215	826.9
Natural, Environmental	390	202.9	Falls	84	197.0	Falls	101	388.5
Falls	357	185.7	Natural, Environmental	83	194.7	Natural, Environmental	48	184.6
MVC	307	159.7	Struck By/Caught In	65	152.5	MVC	16	61.5
Struck By/Caught In	161	83.8	MVC	59	138.4	Struck By/Caught In	15	57.7
Assault	116	60.4	Sports/ Recreation	44	103.2	Piercing/Cutting	6	23.1
Piercing/Cutting	114	59.3	Piercing/Cutting	26	61.0	Overexertion	6	23.1
Overexertion	111	57.8	Overexertion	26	61.0	Adverse Effects	6	23.1
Sports/ Recreation	63	32.8	Hot Substance	9	21.1	Hot Substance	4	-----

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Lexington County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	177	67.5	All Causes	14	22.0	All Causes	31	96.5
Suicide	40	15.2	Suffocation	4	---	Fall	7	21.8
Poisoning	38	14.5	Suicide	3	---	MVC	6	18.7
MVC	33	12.6	MVC	2	---	Suffocation	5	15.6
Homicide	12	4.6	Homicide	1	---	Suicide	3	---
Fall	10	3.8	Pedestrians	1	---	Poisoning	2	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	19,839	756.1	All Causes	3,938	613.8	All Causes	2,458	765.5
Falls	5,473	208.6	Falls	1,039	161.9	Falls	1,597	497.4
Natural, Environmental	3,110	118.5	Natural, Environmental	558	87.0	Natural, Environmental	322	100.3
MVC	2,901	110.6	Struck By/Caught In	534	83.2	MVC	160	49.8
Struck By/Caught In	1,757	67.0	Sports/ Recreation	411	64.1	Overexertion	75	23.4
Overexertion	1,530	58.3	MVC	380	59.2	Struck By/Caught In	74	23.0
Assault	1,045	39.8	Piercing/Cutting	216	33.7	Piercing/Cutting	43	13.4
Piercing/Cutting	1,010	38.5	Overexertion	202	31.5	Adverse Effects	42	13.1
Sports/ Recreation	700	26.7	Foreign Body	137	21.4	Poisoning	35	10.9

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

McCormick County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	7	69.3	All Causes	0	0	All Causes	2	---
Drowning	2	---				Pedestrians	1	---
Poisoning	2	---				Suffocation	1	---
MVC	1	---						
Pedestrians	1	---						
Suffocation	1	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	772	754.4	All Causes	156	1,052.6	All Causes	164	669.4
Falls	213	208.2	Falls	36	242.9	Falls	85	346.9
Natural, Environmental	141	137.8	Natural, Environmental	25	168.7	Natural, Environmental	34	138.8
MVC	125	122.2	Struck By/Caught In	24	161.9	Piercing/Cutting	18	73.5
Overexertion	59	57.7	MVC	20	135.0	Adverse Effects	8	32.7
Struck By/Caught In	56	54.7	Sports/ Recreation	14	94.5	Struck By/Caught In	7	28.6
Piercing/Cutting	55	53.8	Piercing/Cutting	13	87.7	MVC	5	20.4
Assault	38	37.1	Overexertion	6	40.5	Overexertion	4	----
Sports/ Recreation	23	22.5	Assault	5	33.7	Foreign Body	1	----

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Marion County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	28	84.7	All Causes	1	---	All Causes	4	---
MVC	9	27.2	MVC	1	---	MVC	2	---
Homicide	3	---				Suffocation	1	---
Poisoning	3	---				Unspecified causes	1	---
Suicide	2	---						
Drowning	1	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	3,921	1,186.0	All Causes	972	1,204.3	All Causes	530	1092.8
Falls	978	295.8	Falls	211	261.4	Falls	308	635.1
Natural, Environmental	654	197.8	Struck By/Caught In	152	188.3	Natural, Environmental	79	162.9
MVC	551	166.7	Natural, Environmental	137	169.7	Struck By/Caught In	26	53.6
Struck By/Caught In	395	119.5	Sports/ Recreation	131	162.3	MVC	25	51.5
Overexertion	320	96.8	MVC	70	86.7	Overexertion	25	51.5
Piercing/Cutting	240	72.6	Piercing/Cutting	66	81.8	Piercing/Cutting	12	24.7
Sports/ Recreation	203	61.4	Overexertion	66	81.8	Adverse Effects	10	20.6
Assault	198	59.9	Foreign Body	42	52.0	Foreign Body	8	16.5

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Marlboro County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	25	86.4	All Causes	3	---	All Causes	4	---
Suicide	7	24.2	MVC	2	---	Unspecified causes	2	---
Homicide	5	17.3	Suicide	1	---	Fall	1	---
MVC	4	---				Suicide	1	---
Suffocation	2	---						
Fall	1	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	2,930	1,012.7	All Causes	812	1,284.2	All Causes	260	687.8
Natural, Environmental	687	237.5	Natural, Environmental	186	294.2	Falls	135	357.1
Falls	604	208.8	Falls	147	232.5	Natural, Environmental	59	156.1
MVC	389	134.5	Struck By/Caught In	133	210.3	Struck By/Caught In	22	58.2
Struck By/Caught In	313	108.2	MVC	87	137.6	MVC	14	37.0
Assault	215	74.3	Sports/ Recreation	85	134.4	Piercing/Cutting	10	26.5
Overexertion	192	66.4	Piercing/Cutting	43	68.0	Overexertion	5	13.2
Piercing/Cutting	173	59.8	Overexertion	31	49.0	Adverse Effects	5	13.2
Sports/ Recreation	114	39.4	Foreign Body	23	36.4	Foreign Body	3	----

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Newberry County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	30	80.0	All Causes	0	0	All Causes	10	167.8
Suicide	13	34.7				Fall	4	---
Fall	4	---				Suicide	3	---
MVC	3	---				Unspecified causes	3	---
Fire/Flame	2	---						
Poisoning	2	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	4,508	1,202	All Causes	1,086	1,271.1	All Causes	593	995.0
Falls	1,158	309	Falls	257	300.8	Falls	361	605.7
Natural, Environmental	688	183	Sports/ Recreation	178	208.3	Natural, Environmental	76	127.5
MVC	563	150	Struck By/Caught In	151	176.7	MVC	38	63.8
Overexertion	471	126	Natural, Environmental	114	133.4	Struck By/Caught In	29	48.7
Struck By/Caught In	453	121	MVC	96	112.4	Piercing/Cutting	28	47.0
Piercing/Cutting	301	80	Piercing/Cutting	81	94.8	Overexertion	15	25.2
Sports/ Recreation	266	71	Overexertion	78	91.3	Adverse Effects	12	20.1
Assault	179	48	Foreign Body	44	51.5	Foreign Body	9	15.1

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Oconee County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	61	82.1	All Causes	2	---	All Causes	13	92.1
Poisoning	17	22.9	Suffocation	2	---	Fall	2	---
Suicide	15	20.2				Homicide	2	---
Homicide	5	6.7				Suicide	2	---
MVC	5	6.7				MVC	1	---
Suffocation	5	6.7				Poisoning	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	7,956	1,071	All Causes	1,605	1021.8	All Causes	1,340	949.7
Falls	2,350	316	Falls	458	291.6	Falls	789	559.2
Natural, Environmental	1,272	171	Struck By/Caught In	254	161.7	Natural, Environmental	182	129.0
MVC	806	109	Natural, Environmental	226	143.9	MVC	71	50.3
Struck By/Caught In	797	107	Sports/ Recreation	140	89.1	Overexertion	70	49.6
Overexertion	748	101	Piercing/Cutting	126	80.2	Struck By/Caught In	59	41.8
Piercing/Cutting	511	69	Overexertion	106	67.5	Piercing/Cutting	48	34.0
Sports/ Recreation	259	35	MVC	86	54.8	Foreign Body	34	24.1
Assault	206	28	Foreign Body	47	29.9	Adverse Effects	25	17.7

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Orangeburg County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	88	95.1	All Causes	6	27.1	All Causes	21	152.9
MVC	24	25.9	Homicide	2	---	MVC	4	---
Homicide	18	19.5	Drowning	1	---	Suffocation	3	38.4
Poisoning	9	9.7	MVC	1	---	Suicide	3	---
Pedestrians	8	8.6	Suffocation	1	---	Fall	2	---
Suicide	6	6.5	Undetermined Intention	1	---	Pedestrians	2	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	10,111	1,093	All Causes	2,304	1074.7	All Causes	1,188	865.3
Falls	2,383	258	Falls	532	248.2	Falls	696	506.9
MVC	1,898	205	Struck By/Caught In	332	154.9	Natural, Environmental	132	96.1
Natural, Environmental	1,437	155	Natural, Environmental	321	149.7	MVC	106	77.2
Struck By/Caught In	984	106	MVC	261	121.7	Struck By/Caught In	65	47.3
Overexertion	795	86	Sports/ Recreation	195	91.0	Overexertion	44	32.0
Piercing/Cutting	649	70	Piercing/Cutting	164	76.5	Piercing/Cutting	33	24.0
Assault	494	53	Overexertion	137	63.9	Adverse Effects	32	23.3
Sports/ Recreation	306	33	Foreign Body	76	35.5	Poisoning	15	10.9

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Pickens County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	103	86.4	All Causes	3	---	All Causes	22	137.6
Poisoning	28	23.5	Homicide	1	---	Fall	12	75.0
Suicide	22	18.5	MVC	1	---	MVC	4	33.4
MVC	19	15.9	Suffocation	1	---	Fire/Flame	1	---
Fall	13	10.9				Pedestrians	1	---
Homicide	7	5.9				Poisoning	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	16,470	1,381	All Causes	3,883	1598.8	All Causes	1,987	1242.7
Falls	4,997	419	Falls	1,104	454.6	Falls	1,230	769.2
Natural, Environmental	2,776	233	Natural, Environmental	548	225.6	Natural, Environmental	261	163.2
Struck By/Caught In	1,614	135	Struck By/Caught In	539	221.9	MVC	103	64.4
MVC	1,607	135	Sports/ Recreation	442	182.0	Struck By/Caught In	82	51.3
Overexertion	1,562	131	Overexertion	280	115.3	Piercing/Cutting	60	37.5
Piercing/Cutting	993	83	Piercing/Cutting	245	100.9	Overexertion	58	36.3
Sports/ Recreation	675	57	MVC	230	94.7	Adverse Effects	55	34.4
Assault	475	40	Foreign Body	128	52.7	Foreign Body	40	25.0

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Richland County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	242	62.9	All Causes	11	11.9	All Causes	55	146.5
Suicide	50	13.0	Homicide	4	10.1	Fall	12	32.0
Poisoning	48	12.5	Suicide	2	---	Suicide	9	24.0
MVC	42	10.9	Undetermined Intent	2	---	Suffocation	7	18.6
Homicide	30	7.8	Firearm	1	---	Fall	12	32.0
Fall	17	4.4	Poisoning	1	---	MVC	5	13.3

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	29,757	773.91	All Causes	6,940	792.7	All Causes	3,057	814.3
Falls	6,829	177.6	Falls	1,728	197.4	Falls	1,749	465.9
MVC	5,443	141.6	Natural, Environmental	1,020	116.5	Natural, Environmental	500	133.2
Natural, Environmental	4,988	129.7	Struck By/Caught In	1,019	116.4	MVC	213	56.7
Struck By/Caught In	2,665	69.3	MVC	694	79.3	Struck By/Caught In	127	33.8
Overexertion	2,007	52.2	Sports/ Recreation	663	75.7	Overexertion	105	28.0
Assault	1,792	46.6	Overexertion	390	44.5	Piercing/Cutting	86	22.9
Piercing/Cutting	1,501	39.0	Piercing/Cutting	363	41.5	Adverse Effects	67	17.8
Sports/ Recreation	1,070	27.8	Foreign Body	274	31.3	Foreign Body	43	11.5

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Saluda County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	16	80.5	All Causes	1	---	All Causes	3	---
MVC	6	30.2	Pedestrians	1	---	Unspecified causes	2	---
Homicide	4	---				Fall	1	---
Suicide	2	---						
Fall	1	---						
Pedestrians	1	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	1,027	516.7	All Causes	185	403.8	All Causes	148	462.5
Falls	266	133.8	Falls	43	93.9	Falls	88	275.0
MVC	198	99.6	MVC	28	61.1	Natural, Environmental	29	90.6
Natural, Environmental	154	77.5	Struck By/Caught In	26	56.8	MVC	14	43.8
Struck By/Caught In	88	44.3	Sports/ Recreation	20	43.7	Piercing/Cutting	4	----
Overexertion	75	37.7	Overexertion	18	39.3	Struck By/Caught In	4	----
Piercing/Cutting	60	30.2	Natural, Environmental	16	34.9	Overexertion	3	----
Assault	42	21.1	Piercing/Cutting	13	28.4	Foreign Body	2	----
Sports/ Recreation	34	17.1	Foreign Body	7	15.3	Fire and Flame	1	----

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Spartanburg County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	224	78.8	All Causes	11	15.7	All Causes	52	136.0
Suicide	49	17.2	MVC	5	---	Fall	15	39.2
Poisoning	46	16.2	Fall	1	---	Suffocation	8	20.9
MVC	40	14.1	Firearm	1	---	MVC	7	18.3
Fall	19	6.7	Homicide	1	---	Suicide	5	13.1
Homicide	19	6.7	Suicide	1	---	Poisoning	3	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	30,918	1,087.5	All Causes	7,215	1,038.9	All Causes	3,745	979.6
Falls	8,553	300.8	Falls	1,916	275.9	Falls	2,287	598.2
Natural, Environmental	4,588	161.4	Struck By/Caught In	1,186	170.8	Natural, Environmental	513	134.2
MVC	4,456	156.7	Natural, Environmental	882	127.0	MVC	232	60.7
Struck By/Caught In	3,310	116.4	Sports/ Recreation	728	104.8	Struck By/Caught In	171	44.7
Overexertion	2,931	103.1	MVC	638	91.9	Overexertion	123	32.2
Piercing/Cutting	1,720	60.5	Overexertion	593	85.4	Piercing/Cutting	113	29.6
Falls	8,553	300.8	Piercing/Cutting	406	58.5	Foreign Body	62	16.2
Natural, Environmental	4,588	161.4	Foreign Body	201	28.9	Poisoning	45	11.8

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Sumter County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	65	60.5	All Causes	8	29.0	All Causes	20	143.7
Homicide	10	9.3	Homicide	2	---	Fall	5	---
MVC	9	8.4	Pedestrians	2	---	Suicide	2	---
Suicide	9	8.4	MVC	1	---	Fire/Flame	1	---
Pedestrians	6	5.6	Suffocation	1	---	Firearm	1	---
Fall	5	4.7	Other Transport	1	---	Homicide	1	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	11,400	1,060.9	All Causes	2,752	1,003.2	All Causes	1,235	887.2
Falls	2,607	242.6	Falls	667	243.2	Falls	742	533.0
MVC	2,226	207.2	Struck By/Caught In	468	170.6	Natural, Environmental	188	135.1
Natural, Environmental	1,986	184.8	Natural, Environmental	403	146.9	MVC	104	74.7
Struck By/Caught In	1,112	103.5	MVC	291	106.1	Struck By/Caught In	47	33.8
Overexertion	729	67.8	Sports/ Recreation	284	103.5	Piercing/Cutting	34	24.4
Piercing/Cutting	635	59.1	Piercing/Cutting	159	58.0	Overexertion	29	20.8
Assault	595	55.4	Overexertion	146	53.2	Adverse Effects	21	15.1
Sports/ Recreation	493	45.9	Foreign Body	99	36.1	Poisoning	14	10.1

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Union County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	11	38.0	All Causes	0	0	All Causes	2	---
MVC	5	17.3				Fire/Flame	1	---
Suicide	3	---				Suicide	1	---
Fire/Flame	1	---						
Homicide	1	---						
Other Transport	1	---						

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	4,036	1393.6	All Causes	1,083	1,640.9	All Causes	544	1140.5
Falls	1,109	382.9	Falls	260	393.9	Falls	324	679.2
Natural, Environmental	671	231.7	Natural, Environmental	188	284.9	Natural, Environmental	78	163.5
MVC	585	202.0	Struck By/Caught In	143	216.7	MVC	34	71.3
Struck By/Caught In	351	121.2	Sports/ Recreation	118	178.8	Overexertion	20	41.9
Overexertion	330	114.0	MVC	106	160.6	Struck By/Caught In	20	41.9
Piercing/Cutting	245	84.6	Overexertion	69	104.6	Piercing/Cutting	19	39.8
Assault	193	66.6	Piercing/Cutting	57	86.4	Foreign Body	8	16.8
Sports/ Recreation	158	54.6	Foreign Body	38	57.6	Poisoning	7	14.7

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

Williamsburg County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	33	95.9	All Causes	1	---	All Causes	9	178.6
MVC	9	26.1	MVC	1	---	Fall	3	---
Homicide	8	23.2				Homicide	3	---
Fall	3	---				Drowning	1	---
Poisoning	3	---				MVC	1	---
Drowning	2	---				Natural/Environmental	1	---

Age specific rate per 100,000

All Causes are Unintentional except (assault, attempted suicide)


Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	3,781	1098.4	All Causes	938	1154.9	All Causes	462	916.7
Falls	862	250.4	Falls	260	240.1	Falls	239	474.2
MVC	626	181.9	Natural, Environmental	188	173.6	Natural, Environmental	66	131.0
Natural, Environmental	591	171.7	Struck By/Caught In	143	161.3	MVC	44	87.3
Struck By/Caught In	350	101.7	Sports/ Recreation	118	121.9	Struck By/Caught In	22	43.7
Overexertion	321	93.3	MVC	106	112.0	Overexertion	19	37.7
Piercing/Cutting	234	68.0	Overexertion	69	86.2	Piercing/Cutting	12	23.8
Assault	184	53.5	Piercing/Cutting	57	62.8	Adverse Effects	10	19.8
Sports/ Recreation	153	44.5	Foreign Body	38	57.6	Poisoning	8	15.9

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)

York County



Top Causes of Injury Deaths, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	134	59.3	All Causes	8	13.8	All Causes	41	160.0
MVC	30	13.3	Homicide	2	---	Fall	21	81.9
Poisoning	24	10.6	MVC	2	---	MVC	5	19.5
Fall	23	10.2	Drowning	1	---	Pedestrians	2	---
Suicide	20	8.8	Pedestrians	1	---	Suffocation	2	---
Homicide	11	4.9	Suffocation	1		Suicide	2	---

Age specific rate per 100,000

All Causes are Unintentional except (suicide, homicide)

Top Causes of Non-Fatal Injuries, 2010

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
All Causes	10,832	479.1	All Causes	2,673	462.9	All Causes	1,696	661.7
Falls	3,072	135.9	Falls	713	123.5	Falls	937	365.6
Natural, Environmental	1,753	77.5	Struck By/Caught In	419	72.6	Natural, Environmental	481	187.7
MVC	1,200	53.1	Sports/ Recreation	331	57.3	Struck By/Caught In	57	22.2
Struck By/Caught In	1,081	47.8	Natural, Environmental	315	54.6	MVC	53	20.7
Overexertion	883	39.1	Piercing/Cutting	177	30.7	Overexertion	44	17.2
Piercing/Cutting	606	26.8	MVC	172	29.8	Piercing or Cutting	24	9.4
Sports/ Recreation	525	23.2	Overexertion	170	29.4	Foreign Body	19	7.4
Assault	507	22.4	Foreign Body	77	13.3	Poisoning	18	7.0

Age specific rate per 10,000

All Causes are Unintentional except (assault, attempted suicide)



South Carolina Department of Health
and Environmental Control

www.scdhec.gov/injury

CR-010454 7/12