

Geographic Spread



South Carolina reported **widespread activity** this week. This is the **eighteenth consecutive** week at widespread activity.

Influenza Activity



Overall, there was a decrease in influenza activity this week.

Regional Influenza Activity



Decreased



Increased




Decreased



No change


Virologic Surveillance

This week **274** lab-confirmed tests were reported. In the current flu season, there have been **6145** lab-confirmed tests reported.



Influenza-Like Illness Surveillance

The percent of patient visits to sentinel providers for an influenza-like illness (ILI) was **10.1%**, which is **above** South Carolina's baseline (**3.6%**). The ILI activity level overall was **high**.



Influenza-Associated Hospitalizations


This week **124** influenza-associated hospitalizations were reported by **41** hospitals. The cumulative hospitalization rate is **55.5 per 100,000**. In the current flu season, there have been **2821** influenza-associated hospitalizations.

Influenza-Associated Deaths

This week **4** influenza-associated deaths were reported however, 3 deaths occurred during previous weeks. The cumulative mortality rate is **2.1 per 100,000**. In the current flu season, there have been **103** influenza-associated deaths.

Influenza Activity*

In the 4 Public Health Regions, activity showed...



Overall there was a decrease in influenza activity statewide.

Influenza Indicator	Change from Previous Week
Lab-confirmed tests	Decreased
ILI Percent	Increased
Hospitalizations	Decreased

*Indicators for assessing influenza activity include: lab-confirmed tests, ILI percent, and hospitalizations.

Virologic Surveillance

Lab-Confirmed Influenza Cases by Influenza Type To Date*					
Influenza Type	No. of Cases (%)				5 season average
	This Week	2019-20	2018-19	2017-18	
Overall	274	6145	3873	3560	2165
Influenza A	224(81.8)	4267(69.4)	3759(97.1)	2606(73.2)	1806(84.0)
A(H3)	1(0.4)	40(0.9)	465(12.4)	520(20.0)	338(19.0)
A(H1N1)	53(23.7)	998(23.4)	307(8.2)	201(7.7)	197(10.4)
A(NS)*	170(75.9)	3229(75.7)	2987(79.5)	1885(72.3)	1271(70.6)
Influenza B	49(17.9)	1868(30.4)	103(2.7)	943(26.5)	359(16.0)
B (Victoria)	4(8.2)	249(13.3)	3(2.9)	1(0.1)	1(0.3)
B(Yamagata)	--	6(0.3)	--	47(5.0)	9(2.8)
B (LND)+	45(91.8)	1613(86.3)	100(97.1)	895(94.9)	349(96.9)
Influenza Virus Co-infection**	1(0.3)	10(0.2)	11(0.3)	11(0.3)	N/A

*NS - not subtyped *LND - lineage not determined



*Data presented from previous influenza seasons represents the data from that season through the same week as the current season. Nationally, the influenza season begins with MMWR week 40 and ends with MMWR week 39. The 2019-20 influenza season began on September 29, 2019 and will end on September 26, 2020.

**Cases with more than one influenza A subtype in the same sample or influenzas A and B in the same sample simultaneously.

Laboratory-Confirmed Influenza Cases, by Virus Type


Week ending 3/14

Cumulative



■ A not subtyped ■ A(H1N1) ■ A (H3) ■ B (lineage not determined) ■ B (YAM) ■ B (VIC) ■ Co-infection

Laboratory-Confirmed Influenza Cases, 2016-17 Season to Present





Influenza-Like Illness Surveillance

This week, the ILI activity level was **high** and **10.1%** of patient visits to SC ILINet providers was attributed to an influenza-like illness. This is **above** the state baseline, **3.6%**.

Reports were received from providers in **12** counties, representing all DHEC Public Health regions.


ILI percentage is dependent upon the number of reporting providers and/or can vary by disease activity or the number of providers submitting reports.

Percentage of Influenza-like Illness (ILI) Visits Reported by Sentinel Providers for Past and Current Seasons



No color fill indicates either no reporting or does not participate.

State ILI Activity Level by MMWR Week, 2016-17 Influenza Season to Present



ILI ACTIVITY LEVELS: **MINIMAL** **LOW** **MODERATE** **HIGH**

Influenza-Associated Hospitalizations and Deaths

Influenza-Associated Hospitalizations by Age Group*


Influenza Season	No. of Hospitalizations (Rate)					
	Overall	Ages 0-4	Ages 5-17	Ages 18-49	Ages 50-64	Ages 65+
This Week	124(2.4)	3(1.0)	3(0.4)	22(1.1)	37(3.7)	59(6.7)
2019-20	2821(55.5)	154(51.8)	142(17.3)	600(28.8)	808(80.0)	1138(130.1)
2018-19	2146(42.7)	100(34.1)	112(13.8)	323(15.7)	531(53.2)	1080(124.9)
2017-18	4213(84.9)	146(50.0)	127(15.8)	548(26.8)	976(98.5)	2416(291.2)
5 season average	2416(49.3)	123(42.4)	107(13.3)	347(17.1)	543(55.3)	1296(162.5)

Influenza-Associated Deaths by Age Group*


Influenza Season	No. of Deaths (Rate)					
	Overall	Ages 0-4	Ages 5-17	Ages 18-49	Ages 50-64	Ages 65+
This Week	1(0.0)	--	--	--	--	1(0.1)
2019-20	103(2.1)	--	1(0.1)	19(0.9)	28(2.8)	55(6.4)
2018-19	74(1.5)	2(0.7)	1(0.1)	4(0.2)	21(2.1)	46(5.3)
2017-18	274(5.5)	3(1.0)	--	26(1.3)	47(4.7)	198(23.9)
5 season average	115(2.3)	1(0.3)	1(0.1)	10(0.5)	21(2.1)	82(10.3)

*Data presented from previous influenza seasons represent the data from that season through the same week as the current season. Nationally, the influenza season begins with MMWR week 40 and ends with MMWR week 39. The 2019-20 influenza season began on September 29, 2019 and will end on September 26, 2020.

Influenza-Associated Deaths by Region



Cumulative Hospitalization Rate by Age Group



Reported Influenza-Associated Hospitalization, 2016-17 Season to Present

