



South Carolina Refrigerator Temperature Log - Celsius for Vaccine Storage Units (DAYS 1-15)

Monitor temperature closely!

- 1. Write your initials below in "Staff Initials," and note the time in "Exact Time."
- 2. Record the MIN/MAX temps once each workday—at the start of the clinic day.
- Review CURRENT temperature prior to administering vaccines. (Recording current temperature TWICE A DAY IS OPTIONAL)
- 4. If temperature is out-of-range, see instructions to the right.
- 5. Download and save weekly temperature data report each MONDAY from digital data logger. (Provider will upload same file in SIMON).
- 6. Keep all temperature monitoring records and reports (paper and electronic) for 3 years.

Month/Year	VFC PIN#	
Eacility Namo		

Take corrective action if temp is out of range—too warm (above 8°C) or too cold (below 2°C).

- Quarantine exposed vaccine and label "DO NOT USE," and store it under proper conditions as quickly as possible. Do not discard vaccines unless directed to by the Immunization Division.
- 2. Record the out-of-range temps and the room temp in the "Action" area as labeled on the temperature log.
- Download the temperature data report from your digital data logger and upload into SIMON under "Clinic Tools" by Selecting "Storage Units".
- 4. Document the action taken on the Vaccine Storage Troubleshooting Record OR Failure Report in SIMON.
- 5. Notify your vaccine coordinator and submit a SIMON Helpdesk ticket to the Immunization Division for guidance at https://www.scdhec.gov/SIMON.

Day of Month	1	L		2		3	4	1		5	(6		7		8	9	9	1	0	1	.1	1	.2	1	3	1	L4		15
Staff Initials																														
Record Exact Time of																														
MIN/MAX																														
(Start of Clinic Day)																														
MIN/MAX Temp																														
(since previous reading)																														
Write any OUT-OF-RANGE temps (above 8°C or below 2°C) here.																														
Room Temperature																														
·								RECOR	DING	CURR	NT TE	MPER	RATURI	ES TW	ICE DA	ILY IS	OPTIO	ONAL												
Record Exact Time	AM	PM	AM	РМ	AM	РМ	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	РМ	AM	РМ	AM	PM	AM	PM	AM	PM	AM	PM	AM	PIV
(Current Temps.)																														
Danger! Tempe	ratures	abov	e 8°C	are to	oo wa	rm! W	/rite a	ny out	-of-rai	nge te	mps ai	nd roc	m tem	p on t	he lin	es belo	ow an	d call	lmmu	ınizati	ion Di	vision	at 80	0-27	7-4687	imm	ediat	ely!		
kı 8°C																														
- CRE																											$\vdash \vdash$	$\vdash\vdash$		+
7°C				-	<u> </u>					-		-			-	-						-					igwdapprox	igwdapprox		+
6°C																														
Aim for 5° 5°C																														
4°C																														
· iii																											\vdash	$\vdash\vdash$		+
																											igwdapprox	$\vdash\vdash\vdash$		+
2°C																														<u>Щ</u>
Danger! Tempe	erature	s belo	w 2°0	C are t	оо со	ld! W	rite ar	y out-	of-rar	ige ter	nps ar	nd roo	m tem	p on t	he line	es belo	w and	d call	lmmu	nizati	on Div	vision	at 80	0-277	-4687,	imme	diate	ly!		—
Write any OUT-OF- RANGE temps (above																														
Write any OUT-OF- RANGE temps (above 8°C or below 2°C) here.																														
																											. — —	. — —		

If you have a vaccine storage issue, also complete Vaccine Storage Troubleshooting Record OR Failure Report in SIMON.

DHEC 3266 (rev.8/2020) Page 1 of 4





South Carolina Refrigerator Temperature Log - Celsius for Vaccine Storage Units (DAYS 16-31)

Monitor temperature closely!

- 1. Write your initials below in "Staff Initials," and note the time in "Exact Time."
- 2. Record the MIN/MAX temps once each workday—at the start of the clinic day.
- Review CURRENT temperature prior to administering vaccines.

 (Recording current temperature TWICE A DAY IS OPTIONAL)
- 4. If temperature is out-of-range, see instructions to the right.
- 5. Download and save weekly temperature data report each MONDAY from digital data logger. (Provider will upload same file in SIMON).
- 6. Keep all temperature monitoring records and reports (paper and electronic) for 3 years.

Month/Year	VFC PIN#	
Facility Name		

Take corrective action if temp is out of range—too warm (above 8°C) or too cold (below 2°C).

- 1. Quarantine exposed vaccine and label "DO NOT USE," and store it under proper conditions as quickly as possible. Do not discard vaccines unless directed to by the Immunization Division.
- 2. Record the out-of-range temps and the room temp in the "Action" area as labeled on the temperature log.
- 3. Download the temperature data report from your digital data logger and upload into SIMON under "Clinic Tools" by Selecting "Storage Units".
- 4. Document the action taken on the Vaccine Storage Troubleshooting Record OR Failure Report in SIMON.
- 5. Notify your vaccine coordinator and submit a SIMON Helpdesk ticket to the Immunization Division for guidance at https://www.scdhec.gov/SIMON.

Day	of Month	1	6	1	.7	1	8	1	.9	2	20	2	21	2	22	2	3	2	24	2	.5	2	6	2	7	2	8	2	29	3	0	3	1
Staf	f Initials																																
MIN	ord Exact Time of /MAX of Clinic Day)																																
	/MAX Temp previous reading)																																
ACTION	Write any OUT-OF- RANGE temps (above 8°C or below 2°C) here.																																
٩	Room Temperature								L	F600	SING.	CLIBBE			A = 110 =	. =	65 B.A		ODE	20141													
		AM	PM	ΔΝ4	PM	A N //	DM	AM		AM	PM	AM			ATURE PM	AM				AM	PM	AM	PM	Δ1/4	PM	AM	PM	Δ Ν.Δ	PM	A D.4	PM	A N/I	PM
	ord Exact Time ont Temps.)	Alvi	FIVI	AIVI	FIVI	AIVI	FIVI	Alvi	FIVI	Alvi	FIVI	Alvi	FIVI	Alvi	FIVI	AIVI	FIVI	Alvi	FIVI	AIVI	FIVI	AIVI	FIVI	AIVI	FIVI	AIVI	FIVI	Alvi	FIVI	Alvi	FIVI	AIVI	FIVI
(50	Danger! Tempera	turos	hovo	°°C a	o too	warn	al M/ri	to any	, out o	of rang	o tom	nc and	lroom	tomn	on the	o linos	holov	v and	call Ir	mmun	izatio	n Divi	cion a	+ 000	277	1607	NANAE	DIATE	ELVI				
		tuies a	bove	o c ai	e 100	waiii	i: vvi	ite arry	out-c	/I-I alle	e tem	ps and	10011	temp	on th	e illies	Delov	v anu	call II	IIIII	izatio	II DIVIS	sion a	. 800	-2//	+067,	IVIIVIL	DIATE					
RES	8°C																												ļ!	igsqcut	<u> </u>		
3ATU	7°C																																
MPE	6°C																																
ACCEPTABLE TEMPERATURES	Aim for 5° 5°C																																
EPTA	4°C																																
ACC	3°C																																
	2°C																																
	Danger! Tempera	atures l	below	2°C a	re too	cold!	Writ	te any	out-o	f-range	e tem	s and	room	temp	on the	lines	below	and o	call In	nmuni	zatior	n Divis	ion at	800-	277-4	687, II	MMED	IATEI	LY!				
CTION	Write any OUT-OF- RANGE temps (above 8°C or below 2°C) here.																																
AC	Record Room Temp.																												\vdash		\vdash		



The C Vaccine Storage Troubleshooting Record (check one) Refrigerator Freezer Use this form to document any unacceptable vaccine storage event, such as exposure of refrigerated or frozen vaccines to temperatures that are outside the manufacturers' recommended storage ranges.

	,	, ,			0 0					
Date & Time of Event If multiple, related events occurred, see Description of Event below.	Vaccine Storage Unit at the time the problem was	•	Room Temperature at the time the problem was discovered F (Fahrenheit) or C (Celsius).	Person Completing Report						
Date:	VSU Temp when discovere	d:	Room Temp when discovered:	Name:						
Time:	Minimum temp:	Maximum temp:	Comment (optional):	Title: Date:						
 Inventory of affected vaccines, inc 	opened?) event and last documented reactive (2) whether events in the storage unit? For exing any storage problems with this	ding of storage temperature in ac or purchased with public (for exa ample, were there water bottles s unit and/or with the affected v	cceptable range (36° to 46°F [2° to 8°C] for refrigeral mple, VFC) or private funds (Use separate sheet if in the refrigerator and/or frozen coolant packs in t	needed, but maintain the inventory with this t	roubleshooting record)					
Action Taken (Document thoro When were the affected vaccines Immunization Division and/or the Who was contacted regarding the IMPORTANT: What did you do to p	placed in proper storage condit manufacturer[s].) incident? (For example, supervis	tions? (Note: Do not discard the sor, state/local health departmen	vaccine. Store exposed vaccine in proper conditio	ns and label it "do not use" until after you can o	liscuss with					
(Required)□ Call the Im	munization Division	Spoke with:								
Results • What happened to the vaccine? V	Vas it able to be used? If not, w	as it returned to the distributor?	? (Note: For public-purchase vaccine, follow the Im	munization Division's instructions for vaccine di	sposition.)					

DHEC3266(rev.8/2020) Page 3 of 4

South Carolina Refrigerator Temperature Log- Celsius for Vaccine Storage Units Instructions Page

Purpose:

The purpose of the South Carolina Refrigerator Temperature Log-Celsius for Vaccine Storage Units is to review and record daily monitoring of temperatures of vaccine storage units per VFC program requirements for continuous temperature monitoring devices known as a digital data logger (DDL).

Item-By-Item Instructions:

- 1. VFC provider's sites must review and record temperatures on this temperature log for the refrigerator storage unit that holds publicly funded vaccines.
 - Provider will record minimum (MIN) and maximum (MAX) temperatures at the start of each clinic day;
 - MIN/MAX must be reset after the MIN/MAX temperature has been recorded if the digital data logger (DDL) does not automatically reset, check the instructions guideline per the DDL manufacturer;
 - Record the date, exact time, and initials of the person reviewing and recording the temperature on the temperature log;
 - Review the current temperature prior to accessing and administering vaccines.
 - (RECORDING CURRENT TEMPERATURES TWICE A DAY IS RECOMMENDED NOT REQUIRED);
 - Download and save weekly temperature data report each MONDAY from the digital data logger. Save as a portable document format (pdf).
 - (Provider will upload same file in SIMON).
 - Upload the temperature data report into SIMON under Clinic Tools and select Storage Units.
- 2. Take corrective action- If temperatures are out-of-range too warm (above 8°C) or too cold (below 2°C) are discovered, they must be reported to the Immunization Division immediately and submit a SIMON helpdesk ticket at https://www.scdhec.gov/SIMON.
 - Quarantine exposed vaccine and label "DO NOT USE" and store it under proper conditions as quickly as possible. Do not discard vaccines unless directed by the Immunization Division.
 - Record the out-of-range and room temperatures in the "Action" area as labeled on the temperature log.
 - Download the temperature data report from the digital datalogger.
 - Document the action taken on the Vaccine Storage Troubleshooting Record.
 - Notify your vaccine coordinator.

Office Mechanics and Filing:

- 1. Providers can obtain the temperature log in one of the following ways:
 - 1. By visiting SIMON and submitting a SIMON helpdesk ticket;
 - 2. Contacting the Immunization Division by phone at 803-898-0460 select option 2;
 - 3. Email at scvfc@dhec.sc.gov.
- 2. Form Retention:
 - -VFC & STATE Vaccine providers: retain the original form of this temperature log and the weekly pdf. version of the temperature data reports from the DDL for (3) three years as required by the Federal Immunization Program.
 - -DHEC Immunization Program: retain providers' copies for (3) three years as required by the Federal Immunization Program.
 - -Contracting Parties under a DHEC Memorandum of Agreement (MOA) for Adult Vaccines: Both Provider and DHEC must retain the original/copy for (6) six years.

DHEC 3266 Rev.8/2020 Page 4 of 4