

Flu Watch

MMWR Week 39: September 23 to September 29, 2018

All data are provisional and subject to change as more reports are received.

Geographic Spread

South Carolina reported **no activity** this week.



Influenza-Associated Hospitalizations and Deaths

This week **2** influenza-associated hospitalizations were reported by 32 hospitals. The cumulative hospitalization rate is **91.7** per 100,000. There were **0** laboratory-confirmed influenza-associated deaths reported this week. The cumulative mortality rate is **5.9** per 100,000. Compared to the previous week, the number of reported hospitalizations decreased by **3** (**60.0%**) and deaths **remained the same**. In the current flu season, there have been **4,551** influenza-associated hospitalizations and **292** influenza-associated deaths reported.



Virologic Surveillance

A total of **73** influenza cases (**73** positive rapid antigen detection tests; **0** lab-confirmed tests) were reported from 15 counties representing all four DHEC Public Health regions. Influenza A was most frequently reported by clinical labs. Compared to the previous week, the number of reported influenza cases increased by **22** (**43.1%**) cases. In the current flu season, there have been **135,842** influenza cases (**132,247** positive rapid antigen detection tests; **3,595** lab-confirmed tests) reported.

For a description of South Carolina's influenza surveillance components and definitions go to: http://www.scdhec.gov/Health/DiseasesandConditions/InfectiousDiseases/Flu/FluData/

ili

Influenza-Like Illness Surveillance

The percent of patient visits to sentinel providers for an influenza-like illness (ILI) was **1.11%**, which is **below** South Carolina's baseline (**3.13%**). Compared to the previous week, this is an **increase** of **0.09%**.

The ILI activity level was **minimal.**


For national surveillance, please visit: https://www.cdc.gov/flu/weekly/



Virologic Surveillance

This week, **0** lab-confirmed case and **73** positive rapid influenza detection tests were reported by clinical labs.

Influenza A was most frequently reported by clinical labs.





Influenza Cases Reported by Public Health and Clinical Labs, This Week and Season Total

Influenza Type	Public	Health Lab	Cl	linical Labs	Total		
	This Week	Season Total	This Week	Season Total	This Week	Season Total	
Overall	0	243	73	135599	73	135842	
Influenza A	0	181 (74.4%)	50 (68.5%)	91449 (67.5%)	50 (68.5%)	91630 (67.5%)	
A (H3)		139 (76.7%)	398 (0.4%)			537 (0.6%)	
A (H1N1)		42 (23.3%)	172 (0.2%)			214 (0.2%)	
A (not subtyped)			50 (100%)	90879 (99.4%)	50 (100%)	90879 (99.2%)	
Influenza B	0	62 (25.6%)	22 (30.1%)	43623 (32.2%)	22 (30.1%)	43685 (32.2%)	
B (Victoria)	ia)				2 (0.0%)		
B (Yamagata)		55 (88.7%)				55 (0.2%)	
B (lineage not performed)	not performed) 5 (8.1%)		22 (100%)	43623 (100%)	22 (100%)	43628 (99.8%)	
Influenza (not typed)			1 (1.4%)	527 (0.3%)	1 (1.4%)	527 (0.3%)	



Virologic Surveillance









Influenza-Like Illness Surveillance

This week, the ILI activity level was **minimal** and **1.11%** of patient visits to SC ILINet providers was attributed to an influenza-like illness. This is **below** the state baseline, **3.13%**.

Reports were received from providers in 8 counties, representing 3 of the 4 DHEC Public Health regions.

ILI percentage is dependent upon the number of reporting providers and/or can vary by disease activity or the number of providers submitting reports.





State ILI Activity Level 2017-18 Calendar by Week of the Year

OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
40	44	48	1	5	9	14	18	22	27	31	35
41	45	49	2	6	10	15	19	23	28	32	36
42	46	50	3	7	11	16	20	24	29	33	37
43	47	51	4	8	12	17	21	25	30	34	38
	52			13			26			39	


ILI ACTIVITY LEVELS: MINIMAL LOW MODERATE HIGH



Influenza-Associated Hospitalizations And Deaths

Age	Hospitalizations			Deaths			
Group							
	This Week	Rate per	Season	This Week	Rate per	Season	
		100, 000	Total		100, 000	Total	
0 to 4	0	54.9	161		1.0	3	
5 to 17	0	17.8	143				
18 to 49	0	29.8	596		1.3	27	
50 to 64	2	116.5	1061		5.7	52	
65 & older	0	410.0	2590		33.2	210	
Total	2	91.7	4551		5.9	292	

The percentage of deaths attributed to pneumonia and influenza was 5.8%. This is **below** the epidemic threshold for the week ending September 8, 2018.



Reported Influenza-Associated Hospitalizations by Age Group, 2015-16 Season to Present

