


VAMS Training

Updated Inventory Process January 29, 2021




cdc.gov/coronavirus



Where are the NDCs and Lot Numbers? | Pfizer-BioNTech

Pfizer-BioNTech UoS




✓ UoS NDC: 59267-1000-2

✗ Not a Lot Number

✓ UoS Lot: EH9899
UoS Expiration: 03/2021

Where are the NDCs and Lot Numbers? | Pfizer-BioNTech


Pfizer-BioNTech UoU



⊗ **Not a Lot Number**


✓ **UoU Lot: EH9899**
UoU Expiration: 03/2021

✓ **UoU NDC: 59267-1000-1**



Where are the NDCs and Lot Numbers? | Moderna


Moderna UoS



✓ UoS Lot: 029K20A
UoS Expiration: Lookup on Moderna Website


✗ Not a Lot Number

✓ UoS NDC: 80777-273-99



Where are the NDCs and Lot Numbers? | Moderna


Moderna UoU



UoU NDC: 80777-273-10



UoU Lot: 029K20A



How Has Inventory Management Changed in VAMS?

Inventory Management Tab

Recipient Check-In Manage Appointments **Inventory Management** Inventory Requests Manage Users Clinic Details Clinic Setup Treatment Stations Clinic Absences Clinic Data

Scheduled Appointments: 0 next 28 days 0 total


Total on-hand inventory: 619 doses

[Manually reduce inventory](#) [Reduce inventory \(scan\)](#) [Manually log inventory](#) [Scan inventory](#)

COVID-19 on-hand inventory totals

Search this list...

	UoS Lot Number	UoS NDC Number	UoU (vial) lot num...	Product	Manufacturer	Doses Received	Doses Remaining	Date added/reconciled	Status
1	34678-9	5926710003	34678-9	Pfizer-BioNTech Covid...	Pfizer Manufacturing ...	50	50	Dec 30, 2020	Active
2	123C	8077727399	123C	Moderna COVID-19 V...	Moderna US, Inc.	400	200	Jan 15, 2021	Active
3	584960A	100000001	584960A	COVID Vaccine	Pfizer	20	0	Dec 8, 2020	Invalid
4	33464745	100000001	6564575	COVID-B	Pfizer	20	20	Nov 17, 2020	Active



How Has Inventory Management Changed in VAMS?

New Error Message

VAMS Clinic Portal
Vaccine Administration Management System

Anoushka HCP Boston ... ? Help

Manually log inventory

Log Inventory Review

A record with this UoS or UoU lot number already exists in the system, but the existing record lot numbers are incorrect because the UoS and UoU lot numbers do not match. Please invalidate the old record and add the remaining inventory to a new inventory entry using the following steps:

- Select "Back to portal" to be brought back to the homepage
- Navigate back to the Inventory management tab
- Find the record with the UoS or UoU lot number that matches the lot number you were just trying to enter
- Select the hyperlinked UoS lot number to be brought to a record details page
- Note the number of doses currently associated with the record and then select the "Invalidate" button
- This will invalidate that record and remove all associated doses, so you will need to re-log those doses into VAMS using the correct UoS and UoU lot numbers
- Re-log the invalidated doses under the correct, matching, UoS and UoU lot numbers and then proceed with entering new inventory

[Back to portal](#) [Previous](#)

How Has Inventory Management Changed in VAMS?

Inventory Management Tab

Recipient Check-In Manage Appointments **Inventory Management** Inventory Requests Manage Users Clinic Details Clinic Setup Treatment Stations Clinic Absences Clinic Data

Scheduled Appointments: 0 next 28 days 0 total

Total on-hand inventory: 619 doses

[Manually reduce inventory](#) [Reduce inventory \(scan\)](#) [Manually log inventory](#) [Scan inventory](#)

COVID-19 on-hand inventory totals

Search this list...

	UoS Lot Number	UoS NDC Number	UoU (vial) lot num...	Product	Manufacturer	Doses Received	Doses Remaining	Date added/reconciled	Status
1	34678-9	5926710003	34678-9	Pfizer-BioNTech Covid...	Pfizer Manufacturing ...	50	50	Dec 30, 2020	Active
2	123C	8077727399	123C	Moderna COVID-19 V...	Moderna US, Inc.	400	200	Jan 15, 2021	Active
3	584960A	100000001	584960A	COVID Vaccine	Pfizer	20	0	Dec 8, 2020	Invalid
4	33464745	100000001	6564575	COVID-B	Pfizer	20	20	Nov 17, 2020	Active

How Has Inventory Management Changed in VAMS?

Invalidating Incorrectly Logged Inventory

Site Inventory
VSI-0319

Clinic
[Anoushka HCP Boston Mishra](#)

Vaccine
[VID-0000010](#)

Manufacturer
Pfizer

Product
COVID-B

UoS NDC Number
10000001

UoS Lot Number
33464745

UoU Vaccine NDC Number
10000003

UoU (vial) lot number
6564575

Doses Received
20

Doses Remaining
20

Doses Invalidated

Date of Last Reconciled
11/17/2020

Status
Active

Invalidate

How Has Inventory Management Changed in VAMS?

Invalidating Incorrectly Logged Inventory

1

Invalidate Inventory

Are you sure you want to invalidate this entry?
Invalidating inventory will remove all doses associated with that record and those doses should be re-logged to the correct lot number so no inventory is lost.



2

Site Inventory VSI-0319

Clinic
[Anoushka HCP Boston Mishra](#)

Vaccine
[VID-00000010](#)

Manufacturer
Pfizer

Product
COVID-B

UoS NDC Number
100000001

UoS Lot Number
33464745

UoU Vaccine NDC Number
100000003

UoU (vial) lot number
6564575

Doses Received
20

Doses Remaining
0

Doses Invalidated
20

Date added/reconciled
11/17/2020

Status
Invalid

How Has Inventory Management Changed in VAMS?

Invalidating Incorrectly Logged Inventory

- 1 Navigate back to VAMS home page
- 2 Click on Inventory Management tab
- 3 Manually log inventory

Manually log inventory

Log Inventory

* Manufacturer
Pfizer

* Product
COVID-A

UoS NDC
100000001

UoS Lot Number
6564575

* UoU (vial) Lot Number
6564575

* Total UoU (vials) in UoS
4

* Expiration Date
Mar 31, 2021

How Has Inventory Management Changed in VAMS?

Invalidating Incorrectly Logged Inventory

Recipient Check-In Manage Appointments **Inventory Management** Inventory Requests Manage Users Clinic Details Clinic Setup Treatment Stations Clinic Absences Clinic Data

Scheduled Appointments: 0 next 28 days 0 total

Total on-hand inventory: 619 doses


[Manually reduce inventory](#) [Reduce inventory \(scan\)](#) [Manually log inventory](#) [Scan inventory](#)

COVID-19 on-hand inventory totals

Search this list...

	UoS Lot Number	UoS NDC Number	UoU (vial) lot number	Product	Manufacturer	Doses Received	Doses Remaining	Date added/reconciled	Status
1	6564575	100000001	6564575	COVID-A	Pfizer	20	20	Jan 22, 2021	Active
2	34678-9	5926710003	34678-9	Pfizer-BioNTech Covid-19 Va...	Pfizer Manufacturing Belgiu...	50	50	Dec 30, 2020	Active
3	123C	8077727399	123C	Moderna COVID-19 Vaccine	Moderna US, Inc.	400	200	Jan 15, 2021	Active
4	584960A	100000001	584960A	COVID Vaccine	Pfizer	20	0	Dec 8, 2020	Invalid
5	33464745	100000001	6564575	COVID-B	Pfizer	20	0	Nov 17, 2020	Invalid

Questions



For more information, contact CDC
1-800-CDC-INFO (232-4636)
TTY: 1-888-232-6348 www.cdc.gov

The findings and conclusions in this report are those of the authors and do not necessarily represent the official position of the Centers for Disease Control and Prevention.

